Classified contents

Absorption and desorption of solvents, drawing, structural change of st-PMMA on, 1256
Acetylation of cellulose in the dielectric studies of cellulose and its derivatives, 1605
Acetylene, new catalyst systems for the polymerization of, 243
—, polymerization of, by soluble Ziegler–Natta catalyst. Kinetic studies, 246
Acoustic emission and e.s.r. studies of polymers under stress, 178
Acrolein, polymerization of, initiated by potassium peroxodiphosphate, 1999
Acrylamide residues, modification of the ion exchange properties of cyanide ion exchangers made from copolymers of haemin and vinyl monomers, 1815
Acrylate copolymer attached to porous silica beads, solid phase peptide synthesis on an, 306
— monomers based on 2,6-piperazinedione, 771
Acrylic ampholytic ionomers, 843
— polymers containing functional monomers, pressure sensitive adhesives of, 937
Acrylonitrile–methylmethacrylate random copolymers, behaviour of, in dilute solution, 991
Activation enthalpy ΔH_v for volume relaxation in polypropylene, determination of, during thermal stimulation, 589
Active site determination of various titanium trichloride catalysts, and allene adsorption isotherms of, 897
Additives and solvents, effect of, on polymerization of styrene using $CuCl_2 + AlEt_2Cl$ catalyst, 783
Adhesives, epoxy, undergoing uptake and expulsion of water, the irreversibility of dimensional changes in, 327
—, pressure sensitive, of acrylic polymers containing functional monomers, 937
Adiabatic kinetic data, correlation of, 1473
Adsorption of nonionic and cationic polymers on silica gel by using total organic carbon analysis, study on, 452
— isotherms, allene, and active site determination on various titanium trichloride catalysts, 897
— coefficient, preferential, of polymers, 1005
— of macromolecules in cylindrical pores and at surfaces of cylindrical shape, theory of, 1133
Ageing of 1,1-diphenylethene dimer dianions, 487
—, changes in the crystalline content of irradiated linear polyethylenes upon, 654
—, physical, in glassy polymers: An i.r. spectroscopic investigation of poly(ethylene terephthalate), 1129
Aggregation and compatibility of small molecules in polymer matrices, a spectroscopic study of the relationship between, 1627
Alginic acid, graft copolymers of, 1838
Allene adsorption isotherms and active site determination on various titanium trifluoride catalysts, 897
Amines, reaction of living polyTHF with, primary amines, 1350
Aminopropyltriethoxysilane, γ-, and its analogues as aminofunctional silane coupling agents, structure of, 251
Amorphous polymers, the structure of, 543
—, detection of sub-glass transition events in, using d.s.c., 605
—, SANS characterization of plastic deformation in, 1751
Ampholytic ionomers, acrylic, 843
Analysis, structural, of an oriented liquid crystalline copolyester, 1269
Angular dissymmetry of light scattered by micellar solutions, concentration dependence of the, 170
Anisotropy, mechanical, in oriented nylon-12, the influence of hydrogen bonding on, 829
— of motion in solutions of poly(ethylene oxide) in the presence of the crystalline phase, 1477
Annealing of polyethylene crystals in the hexagonal phase, 773
— and diffusion in crystallizing polymers, 877
— and plasticizer concentration, effect of, on the structure of PVC, 1508
— at melting effects on molecular motion of spin-labelled molecules at the polymer chain-end located on the polypropylene surface, 1594
— of polycarbonate below the glass transition: Quantitative interpretation of the effect on yield stress and differential scanning calorimetry measurements, 1599
— in crystalline polymethylene systems, transport of matter upon: a calorimetric and spectroscopic study, 1921
— multi-step, zone-, preparation of ultra-high-strength nylon-6 fibre by, 1983
Antioxidant action, mechanisms of, intermediates involved in the formation of sulphur acids from nickel dialkyl dithiophosphates, 1711
Aqueous solutions of poly(vinyl alcohol), ultrasonic studies of, 1446
Azobutyronitrile used as a radical initiator in preparing polymers, carbon-13 n.m.r. study of end-groups in, 163
Azo compounds, unsymmetrical, as initiators in radical polymerization, 629

p-**Benzoquinone** and styrene products copolymerized in the presence of BF_3OEt_2, gel chromatographic investigation of, 1388
Bifunctional lithium—organic initiator, an efficient, to be used in apolar solvents, 1953
Biodegradable materials of poly(L-lactic acid): 1. Melt-spun and solution-spun fibres, 1587
Birefringence, time-dependent, in glassy polymers during stress-relaxation and recovery, 129
— of uniaxially oriented poly(2,6-dimethyl 1,4-phenylene oxide)–atactic polystyrene blends, evaluation of the, 706
— and molecular conformation of nitrocellulose, 710
—, magnetic, of polystyrene sulphonate: Molecular weight and concentration dependence, 1990
Blends of head-to-head polystyrene with poly(2,6-dimethyl-1,4-phenylene oxide), 271
—, binary polymer, thermomechanical analysis of, 466
— of polyester/chlorinated poly(vinyl chloride), studies of, 1051
Bonding of Co(III) chelate with synthetic polyelectrolytes, electric dichroism studies of the, 1177
Branching in polymers, assessment of, from small angle X-ray scattering (SAXS): SAXS from model comb-branched polystyrenes, 514
Brillouin spectroscopy of oriented PMMA, 3
— scattering from polyurethane gels, 1884
Bucci relaxation times obtained from thermal sampling, on the physical significance of, 1261
Butadiene–isoprene networks, chemo-rheological studies of, 1519
— and isoprene hydrogenated linear block copolymers, effects of variation of composition and sequence architecture on properties, 1523
Butyl rubber, changes in physical properties and molecular structure during γ-irradiation, 1457

Calorimetric and spectroscopic study of the transport of matter upon annealing in crystalline polymethylene systems, 1921
ε-**Caprolactam**, exothermal effects of superimposed processes of activated anionic polymerization of, and crystallization of the polymer formed, 385
Carbazole based polymers, recent progress in, 1713
Carbon analysis, total organic, study on adsorption of nonionic and cationic polymers on silica gel using, 452
Carbon dioxide crazes in polystyrene, the micromechanics and microstructure of, 1667

Carbonyls, group 6 transition metal, polymerization of phenylacetylene induced by u.v. irradiation of, 1663
Case II diffusion, a theory of, 529
Catalyst ageing time, effect of: Non-equilibrium molecular weight studies on the metathesis polymerization of cyclopentene initiated by $WCl_6/AliBu_3$, 211
— systems, new, for the polymerization of acetylene, 243
Catalysts, various titanium trichloride, allene adsorption isotherms and active site determination on, 897
—, highly active coordination, for polymerization of α-olefins: 3. Polymerization of propylene with $MgCl_2/TiCl_4/AlEt_3$ or $MgCl_2/PhCOOC_2H_5/TiCl_4/AlEt_3$ systems, 916
—, solid-liquid phase transfer, poly(ethylene oxide-*b*-styrene) copolymers as, 1159
—, high activity, prepared from titanium tetrachloride and magnesium diene adducts, used in ethylene polymerization, 1971
Catalytic transfer hydrogenation of poly(acryloylmorpholine)-based peptide-resin assemblies and of derived peptide segments, 1685
Cellophane, a structural study of, 823
Cellulose, hydroxylpropyl, interaction of organic vapours with, 43
— membranes, permeation behaviour of aqueous alcohol solution through, 192
—, hydroxypropyl, diffusion of glucose derivatives in aqueous solutions of, 325
— triacetate solutions, refractometry of, 483
— nitrate membranes from binary organic solvents, finger-like cavities in, 488
— derivatives, intrinsic viscosity of, and the persistent cylinder model of Yamakawa, 800
— nitrate and a single solvent, formation mechanism of finger-like cavities in membranes from, 999
— nitrates, a ^{13}C n.m.r. and X-ray study of the relationship between the distribution of nitrate ester groups and interchain *d*(110) spacings in a series of, 1295
— and its derivatives, dielectric studies of: 1. Acetylation of cellulose, 1605; 2. Effects of pressure and temperature on relaxation behaviour, 1609; 3. Glycerol in cellulose acetate, 1615
— triacetate solution, the cholesteric nature of, 1727
—, quasi-elastic light scattering from dilute solutions of, 1755
— and lignin, studies on heat capacity of, by d.s.c., 1801
—, a new solvent for, 1867
Cellulosic materials, e.s.c.a. studies of the nitration and denitration of, 1034
Chain scission, free radicals and new end groups resulting from: 2. Mechanical degradation of polyethylene, 1027
—, macromolecular, synthesis of tertiary poly(amido-amine)s with amido- and amino-groups randomly arranged along the, 1233
— lengths, straight-, distribution of, in unannealed and annealed solution-crystallized polyethylene by Raman spectroscopy, 1286
— dimensions of crystallizable polymers in the solid and melt states, 1561
Chains, molecular, direct imaging of, in a poly(*p*-xylene) single crystal, 1568
—, poly(acetylene), on the packing properties of, 1581
Characterization, structural, of 1,2-polybutadiene by ^{13}C n.m.r. spectroscopy: 1. Signal assignment in hydrogenated polybutadienes, 287
—, structural, of 1,2-polybutadiene by ^{13}C n.m.r. spectroscopy: 2. Sequence distribution of 1,2-unit in hydrogenated polybutadienes, 413
—, quantitative, or orientation in PET fibres by Raman spectroscopy, 645
—, structural, of semicrystalline polymer blends by SANS, 957
—, vibrational spectroscopic, of rigid rod polymers: 3. Microstructural changes in stress polymers, 969
— and synthesis of poly(amide–imides) from 3,4-dicarboxy-4′-chloroformylbiphenyl anhydride, 1057
— and synthesis of some polyurethane ionomers, 1167
—, synthesis and kinetics in the alternating copolymerization of 2-methyl-2-oxazoline with α-chloro- and α-bromoacrylic acids, 1372
— and preparation of poly(ethylene/tetramethylene terephthalate) copolyesters, 1391
—, SANS, of plastic deformation in amorphous polymers, 1751
—, toughness, and morphology of epoxy resins modified with amine and carboxyl terminated rubbers, 1897
Charge transport and pyroelectricity in a copolymer of vinylidine fluoride and tetrafluoroethylene, 22
— storage characteristics of poly(vinyl alcohol), effect of crosslinking on the, 1697
Chelation of copper(II) ion with some new poly(amido–amines), 148
Chemical modification of polyepichlorohydrin and anionic synthesis of poly(epichlorohydrin-*g*-styrene), 57
— of poly(vinyl chloroformate), 861
Chemo-rheological studies of isoprene–butadiene networks, 1519
Chlorination of *cis*-1,4-polybutadiene, a head-to-head polymer, 1805
Cholesteric nature of cellulose triacetate solutions, 1727
Chromophores, side-chain *trans*-stilbene, optically active polymers containing, 1355
CNDO/2 calculations, stability of the crystal structures of poly(vinyl alcohol) by, 776
Cohesive-energy density of shellac, 417
Cold-rolling, crack growth under static and fatigue loading in glassy polymers oriented by, 1830
Comb-like polymers, studies on: 5. A d.s.c. investigation of samples of poly(octadecylethylene) with different history, 277
Comments on the kinetic mechanism of free radical bulk copolymerization of styrene–methylmethacrylate, 1245
Compaction, solid phase, of polymeric powders: effects of compaction conditions on pressure and density variations, 123
Compatibility of poly(methylmethacrylate) and chlorinated polyethylene, 336
— and aggregation of small molecules in polymer matrices, a spectroscopic study of the relationship between, 1627
Compensation rule, the validity of the, 473
Complexation of polybutadienyllithium by *N*,*N*,*N*′,*N*′-tetramethylethylenediamine, ^1H n.m.r. spectroscopy of the, 1636
Complex bases: 13. Salt complex bases as new initiators in anionic polymerization of vinyl monomers, 283
Complexes of sodium iodide and sodium thiocyanate with poly(ethylene oxide), morphology and ionic conductivity of, 681
—, lithium ion, with poly(ethylene oxide), morphology and ionic conductivity of, 690
Composites with grafted filler particles, polymer–filler interactions in, 164
—, poly(2-hydroxyethylmethacrylate) based, dynamic mechanical properties of, 1242
—, particulate reinforced, small-angle X-ray study of, 1907
Composition ratio, effect of, on the structure–property behaviour of segmented polyether–MDI–butanediol based urethanes, 1077
— and dissociation behaviour of some four component phenolic copolymers, effect of substituents on the, 1659
Compressibility of the polymer crystal, 1412
Concentration dependence of the angular dissymmetry of light scattered by micellar solutions, 170
— dependence of diffusion coefficients and quasi-elastic light scattering of cyclic and linear poly(dimethylsiloxanes), 873
Concentrations, monomer and solvent, influence on the rate of radiation-induced cationic polymerization of ethyl vinyl ether in ether solvent, 427
Condensation, acid-catalysed, of phenol-4-sulphonic acid with formaldehyde, 1229
Conduction, electrical, in Kapton polyimide film at high electrical fields, 17
Conductivity, electrolytic, investigation of local viscosity in polymer solutions by means of, 6
—, oxidative stability and free radical population of poly(1,6-heptadiyne), effect of a free radical quencher on the, 435
— measurements and e.s.r., effects of oxidation on I_2 doping of *trans*-polyacetylene as studied *via*, 439
Configuration dependence of ^{13}C spin-lattice relaxation times of poly(α-methylstyrene), 1997
Conformation of a statistical copolymer of L-leucine and L-lycine, salt effects on the, 1147
— of an alternating copolymer of L-leucine and L-lycine, salt effect on the, 1154
— of the molecules in drawn polypropylene revealed by neutron scattering studies, 1875
Conformational transition of the maleic acid copolymer with styrene in aqueous salt solution by derivative spectroscopy, 238
— regularity in needle-like and other polyoxymethylene crystals, infra-red study on the, 509
— characteristics of poly(*N*-vinyl pyrrolidone), 676
— structure of poly(ethylene terephthalate). I.r., Raman and n.m.r. spectra, 714
— analysis of heterogeneously chlorinated polyethylenes, 1163
Coordinate calculations, normal, and neutron inelastic scattering spectra, comparison between, in an investigation of the methyl torsion in isotactic polypropylene, 499
Coordination polymerization, 'living', of propene with the soluble $V(acac)_3$-$Al(i\text{-}C_4H_9)_2Cl$ system, a kinetic study of, 258

— number, lattice, in polystyrene solutions, 1859
Copolyamides containing α-diketone linkage in the main chain, synthesis and photodegradation of, 342
Copolycarbonates, poly(bisphenol A iso/terephthalate), synthesis and properties of some, 609
Copolyester–polycarbonate blends, miscible, mechanical properties of, 112
— fibres, liquid crystalline, prepared from *p*-hydroxybenzoic acid, 2,6-dihydroxynaphthalene and terephthalic acid, the structure of, 671
—, oriented liquid crystalline, structural analysis of an, 1269
Copolyesters, poly(ethylene/tetramethylene terephthalate), preparation and characterization of, 1391
Copolymer of styrene with methylmethacrylate prepared in presence of zinc chloride, n.m.r. study of, 20
— of vinylidine fluoride and tetrafluoroethylene, pyroelectricity and charge transport in, 22
—, block, synthesis, new perfectly difunctional organolithium initiators for: 2. Difunctional polymers of dienes and of their triblock copolymers with styrene, 73
—, block, formation, tetrahydrofuran polymerization leading to, and transformation of anionic ends of living polystyrene to cationic ones, 207
— of maleic acid with styrene in aqueous salt solution, studies on conformational transition of, by derivative spectroscopy, 238
—, acrylate, attached to porous silica beads, solid phase peptide synthesis on an, 306
—, ethylene–tetrafluoroethylene and poly(ethylene terephthalate), scanning electron microscopy of nuclear pore filters in, 1143
—, statistical, of L-leucine and L-lycine, salt effects on the conformation of a, 1147
—, alternating, of L- leucine and L-lycine, salt effect on the conformation of an, 1154
—, ABA poly(styrene-*b*-butadiene), concentrated solution rheology of an, in various solvents, 1944
Copolymerization, radical, of pure 2-hydroxyethyl methacrylate and 2,3-dihydroxypropyl methacrylate mixtures and radical polymerizations of, kinetic investigations of, 81
—, block, by a cation to anion transformation process: 1. Reaction of butyl lithium with polyTHF possessing terminal styryl groups, 445
—, radical, of 2-hydroxyethylmethacrylate and 2,3-dihydroxypropylmethacrylate, hydrogel formation based on the, 748
—, of vinyl chloroformate and phenyl vinyl carbonate with vinyl monomers, 855
—, block, by a cation to anion transformation process: 2. Polymerization of styrene by polyTHF possessing terminal secondary nitranions, 1105
—, free radical bulk, of styrene–methylmethacrylate, comments on the kinetic mechanism of, 1245
—, alternating, of 2-methyl-2-oxazoline with α-chloro- and α-bromoacrylic acids: 3. Synthesis, characterization and kinetics, 1372
— of *p*-benzoquinone and styrene products in the presence of BF_3OEt_2, gel chromatographic investigation of, 1388
Copolymers, polyethylene terephthalate, effect of composition on molecular alignment in, 505
—, polystyrene–poly(methylmethacrylate) block, formation of, by anion free radical transformation, 643
—, block, synthesis of, by a low-temperature free radical mechanism using systems of the poly(styrylaluminium-peroxide) type, 844
—, maleic anhydride, polymer supports based on, preparation of beaded copolymers of maleic anhydride on dimethylacrylamide pre-polymers, 947
—, random methylmethacrylate–acrylonitrile, behaviour of, in dilute solution, 991
—, block, with a polyvinyl and a polypeptide block: factors governing the folding of the polypeptide chains, 1039
—, poly(ethylene oxide-*b*-styrene), as solid-liquid phase transfer catalysts, 1159
—, ethylene–propylene, morphology of, 1189
—, diblock, sphere in, discrepancy between electron microscopy and small-angle scattering results, 1222
—, methylvinylketone, reaction of 2,4-dinitrophenylhydrazine with, effect of steric environment, 1259
—, styrene–butadiene–styrene triblock, ultrasonic studies of, 1451
—, hydrogenated linear block, of butadiene and isoprene: effects of variation of composition and sequence architecture on properties, 1523
—, SAN, miscibility of, with polyacrylates and polymethacrylates, 1543
—, block, studies on phase separation in polyblends of, 1557
— of tetramethyl-*p*-silphenylene-siloxane/alkenylmethylsiloxane and their derivatives, syntheses and properties of, 1646
—, four component phenolic, effect of substituents on the composition and dissociation behaviour of some, 1659
— of haemin and vinyl monomers as cyanide ion exchangers: Modification of the ion exchange properties by introduction of acrylamide residues, 1815
— graft, of polysaccharides: 1. Graft copolymers of alginic acid, 1838
—, block, with low polydispersity ratios, a simplified apparatus for the preparation of, 1988
Correlation of adiabatic kinetic data, 1473
Coupling agents, aminofunctional silane, the structure of: 1. γ-Aminopropyltriethoxysilane and its analogues, 251
Crack growth under static and fatigue loading in glassy polymers oriented by cold-rolling, 1830
Crack-healing in crosslinked styrene-co-acrylonitrile, 1305
Crack-tip heating, localized, in nylon-6,6, effect of test frequency and water content on, 1675
Craze microstructure, effect of strain history on, 457
— microstructure and molecular entanglements in polystyrene–poly(phenylene oxide) blends, 461
Crazes at crack tips, relaxation of stresses in and rate of craze extension, 754
—, CO_2, the micromechanics and microstructure of, in polystyrene, 1667
Crazing and environmental stress cracking in polymers in terms of irreversible thermodynamics, 1204
Critical temperature, interfacial tension of demixed polymer solutions near the, polystyrene plus methylcyclohexane, 728
Crosslinked styrene-co-acrylonitrile, crack-healing in, 1305
Crosslinkers for polymeric hydrogel preparation, purity of, 340
Crosslinking, effect of, on the charge storage characteristics of poly(vinyl alcohol), 1697
— of ultra-high molecular weight polyethylene in the melt by means of 2,5-dimethyl-2,5-bis(tert-butyldioxy)-3-hexyne: 2. Crystallization behaviour and mechanical properties, 1944
Crystal perfection and crystallinity in PET, quantification of, 185
— transformation and molecular disorder in poly(tetrafluoroethylene), X-ray diffraction study of, 521
— structures of poly(vinyl alcohol) by CNDO/2 calculations, stability of the, 776
—, polymer, compressibility of the, 1412
—, single, direct imaging of molecular chains in a poly(*p*-xylene), 1568
— structure of poly(1,4-*trans*-cyclohexanediyl-dimethylene terephthalate), 1960
Crystalline content of irradiated linear polyethylene upon ageing, changes in the, 654
— phase, anisotropy of motion in solutions of poly(ethylene oxide) in the presence of the, 1477
Crystallinity in polyethylene-based membranes and fibres, 601
Crystallites in solidified, rigid chain, liquid crystal polymers, the nature of, 359
Crystallizable polymers, chain dimensions of, in the solid and melt states, 1561
Crystallization, morphology and melting behaviour of films of isotactic polypropylene blended with ethylene–propylene copolymers and polyisobutylene, 229
— of polyformals: 1. Crystallization kinetics of poly(1,3-dioxolane), 374
— of polyformals: 2. Influence of molecular weight and temperature on the morphology and growth rate in poly(1,3-dioxolane), 379
— of polyethylene fractions from the melt, role of reptation in the rate of, 656
—, partial, of branches polyethylene, molecular model of, 1300
—, spherulitic, in blends of poly(ethylene oxide) and poly(methylmethacrylate), 1322
— kinetics, polymer, the use of d.s.c. to study, 1380
— behaviour, multiple, of polypropylene/thermoplastic rubber blends and its use in assessing blend morphology, 1913
— behaviour and mechanical properties of ultra-high molecular weight polyethylene crosslinked in the melt by means of 2,5-dimethyl-2,5-bis(tert-butyldioxy)-3-hexyne, 1944
Crystallizing polymers, diffusion and annealing in, 877
Crystals, polyoxymethylene, needle-like and other, infra-red study on the conformational regularity in, 509
—, polyoxymethylene, single, phonon dispersion curves and elastic properties of, 569

—, polyethylene, in the hexagonal phase, annealing of, 773
Curing kinetics of a rigid polyurethane foam formulation, 1489
Current measurements, space charge limited, study of localized states in FEP by, 1622
Cyclic oligomers in poly(1,4-butylene terephthalate), 323
Cyclopentene, metathesis polymerization of, initiated by WCl_6/$AliBu_3$, non-equilibrium molecular weight studies on the: Effect of catalyst ageing time, 211
Cylindrical rods of polymers, dimensional and volumetric changes in, when subjected to a twist moment, 1407

Data handling in g.p.c. for routine operations, 137
— fitting in photon correlation spectroscopy studies of dilute polymer solutions, 492
—, adiabatic kinetic, correlation of, 1473
Deformation models, uniaxial, accuracy of fluorescence polarization measurements and discrimination of, 797
— studies of polymers by time resolved *FT*i.r. spectroscopy: 1. Development of the technique, 965
— zones and entanglements in glassy polymers, 1183
— and microstructure of polyethylene, the influence of branch length on the, 1680
—, behaviour of the spin–spin relaxation time for natural rubber vulcanizates under large, 1737
—, plastic, in amorphous polymers, SANS characterization of, 1751
Degradation, thermo-oxidative, of isotactic polypropylene film: structural changes and its correlation with properties, 54
—, thermal, of a series of phosphorylated resins of polyethylene, 154
—, thermal, of Kelvar 49 aramid, e.s.r. study of the, 365
—, radiation of, poly(styrene-co-methylmethacrylate): 2. Protective effects of styrene on volatile products, chain scission and flexural strength, 431
—, photochemical, of polyepichlorohydrin and its cleavage with n-butyl lithium, 919
—, mechanical, of polyethylene, 1027
—, thermal, of polystyrene, kinetic study of the first stage during, 1091
— of crosslinked resins in water and electrolyte solutions, 1785
Density and pressure variations in polymeric powders, effects of solid phase compaction on, 123
—, cohesive-energy, of shellac, 417
Depolarization study, thermally stimulated, on the effect of tacticity on the transition behaviour of poly(methylmethacrylate)/poly(vinyl chloride) blends, 395
Desorption and adsorption of solvents, drawing, structural change of st-PMMA on, 1256
Deuteropolyethylene, fully oriented, dynamical studies of, by inelastic neutron scattering, 578
2,4-Diallyloxy-6-phenoxy-1,3,5-triazine, synthesis and properties of, 1688
Dibromo compounds, α,ω-, and alkali metal dicarboxylates, high molecular weight polyesters from, 168
Dicarboxylates, alkali metal, and α,ω-dibromo compounds, high molecular weight polyesters from, 168
Dichloromethane solutions, photo-oxidation of polystyrene in, 281
Dichroism, infra-red, inversion of, in linear crystallizable polyurethanes, 1917
Dielectric loss of an oligomeric poly(propylene oxide) in the liquid region above T_g, 314
— relaxation, anomalous, in poly(dimethylsiloxane) polymers, 1394
—studies of cellulose and its derivatives: 1. Acetylation of cellulose, 1605; 2. Effects of pressure and temperature on relaxation behaviour, 1609; 3. Glycerol in cellulose acetate, 1615
— relaxation properties, influence of filler on the, in rubber-modified epoxy resins, 1619
Differential scanning calorimetry investigation of samples of poly(octadecylethylene) with different history, 277
—, detection of sub-glass transition events in amorphous polymers using, 605
—, the use of, to study polymer crystallization kinetics, 1380
— measurements and yield stress, quantitative interpretation of the effect of, on the annealing of polycarbonate below the glass transition, 1599
—, studies on heat capacity of cellulose and lignin by, 1801
Diffusion and sorption of solvents in highly oriented polyethylene, 142
— of glucose derivatives in aqueous solutions of hydroxypropyl cellulose, 325
— model, stochastic defect, for relaxation effects in crystalline polyethylene, 401
—, Case II, a theory of, 529
— limitations, external, in initiator decomposition in heterogeneous media, 740
— behaviour of cyclic and linear poly(dimethylsiloxanes) in a poor solvent, 865
— coefficients, concentration dependence of, and quasi-elastic light scattering of cyclic and linear poly(dimethylsiloxanes), 873
— and annealing in crystallizing polymers, 877
— in gels, 1012
— of organic compounds in polyolefins, a collection of kinetic data for the, 1325
—, cooperative and self-, of polymers in semi dilute solutions by dynamic light scattering, 1403
Dilute solution properties of substituted polymethacrylates, 1493
Dimensional changes, the irreversibility of, in epoxy adhesives undergoing uptake and expulsion of water, 327
— and volumetric changes in cylindrical rods of polymers subjected to a twist moment, 1407
Dimensions, unperturbed, of stereoregular PMMA, measurement of, 105
Dimethylacrylamide pre-polymers, preparation of beaded copolymers of maleic anhydride on, 947
2,4-Dinitrophenylhydrazine, reaction of, with methylvinylketone copolymers, effect of steric environment, 1259
1,1-Diphenylethene dimer dianions, the ageing of, 487
Direct imaging of molecular chains in a poly(*p*-xylene) single crystal, 1568
Discrimination of uniaxial deformation models and fluorescence polarization measurements, accuracy of, 797
Dissociation behaviour and composition of some four component phenolic copolymers, effect of substituents on the, 1659
Distribution of straight-chain lengths in unannealed and annealed solution-crystallized polyethylene by Raman spectroscopy, 1286
Dithiophosphates, nickel dialkyl, intermediates involved in the formation of sulphur acids from, a mechanism of antioxidant action, 1711
Doping, lithium, of *cis* polyacetylene $(CH)_x$, 173
Drawing of dry gel films of polyethylene and polypropylene, orientation process in the, 1123
—, absorption and desorption of solvents, structural change of st-PMMA on, 1256
— of polypropylene, orientation measurements during, by fluorescence polarization microscopy, 1575
Dry-etching, controlled, action of far-ultra violet radiation (185nm) on poly(ethylene terephthalate) films, a method for, 1863
Dynamic mechanical properties and impact properties of polypropylene/EPDM blends, 699
— thermomechanometry of networks from acrylated epoxy resins, 761
— mechanical properties of poly(2-hydroxyethylmethacrylate) based composites, 1242
Dynamical studies of fully oriented deuteropolyethylene by inelastic neutron scattering, 578
Dynamics, polymer solution, screening concepts in, 345

Elastic properties and phonon dispersion curves of polyoxymethylene single crystals, 569
Elastomers, polyurethane, structure of, effect of chain extender length on the structure of MDI/diol hard segments, 950
Electric dichroism studies of the bonding of Co(III) chelate with synthetic polyelectrolytes, 1177
Electrically conductive polymer composites: polymerization of acetylene in polyethylene, 795
Electrochemical synthesis of polyacetylene tetrachloroferrate and tetrachloroaluminate, 1872
Electrolyte concentration, the effects of, in the emulsion polymerization of styrene, 1172
— solutions and water, degradation of crosslinked resins in, 1785
Electromotive force method, hydrogen-ion transport numbers in cation exchange membrane determined by, 203
Electron microscopy studies of 12, 24 and 36 × *EDR*, microstructure of high modulus solid state extruded polyethylene, 1069
— and small-angle scattering results, discrepancy between, for sphere in diblock copolymers, 1222
Electron paramagnetic resonance studies on poly(paraphenylene)s synthesized by two different routes, 1103
Electron resist, influence of tacticity on the use of PMMA as an, 1732

Electron spin resonance and acoustic emission studies of polymers under stress, 178
— study of the thermal degradation of Kevlar 49 aramid, 365
— and conductivity measurements, effects on oxidation on I_2 doping of *trans*-polyacetylene as studied *via*, 439
Electron trapping model of u.v. induced thermoluminescence in polyethylene, 1461
Elemental and plasma-enhanced reactions in polymer surface fluorination, kinetics of, 1546
Emission, excimer, in solution, polarization of, 175
—, acoustic, and e.s.r. studies of polymers under stress, 178
Emulsion polymerization, seeded, of vinyl acetate: order of reaction with respect to initiator, 77
—, grafting of styrene onto poly(butyl acrylate) in, 839
— polymerization of styrene, the effects of electrolyte concentration in the, 1172
Entanglements, molecular, and craze microstructure in polystyrene–poly(phenylene oxide) blends, 461
—, tensile strength elevation of brittle polymers by, 626
— and deformation zones in glassy polymers, 1183
Environmental stress cracking and crazing in polymers in terms of irreversible thermodynamics, 1204
Epoxide resins, branched, SANS from, 1889
Epoxides, amine-cured, tensile deformation and failure processes of, 295
Epoxy adhesives undergoing uptake and expulsion of water, the irreversibility of dimensional changes in, 327
Epoxy resins, notched, internal fracture of, 291
—, acrylated, dynamic thermomechanometry of networks from, 761
—, cured, the glass transition temperstures of, 1466
—, rubber-modified: 3. Influence of filler on the dielectric relaxation properties, 1619
— modified with amine and carboxyl terminated rubbers, morphology and toughness characterization of, 1897
Equilibrium size distribution of microparacrystals in polymers, 1101
Ester groups, nitrate, distribution of, and interchain *d*(110) spacings in a series of cellulose nitrates, a ^{13}C n.m.r. and X-ray study of the relationship between, 1295
Esters, activated derivatives of succinic and glutaric half-, of polypropylene glycols, and their exchange half-esters of polypropylene glycols, and their exchange reactions with hydroxy- and amino- compounds, 1689
Etchant, an improved permanganic, for polyolefins, 1707
Ethylene–propylene copolymers, morphology of, 1189
— polymerization with high activity catalysts prepared from titanium tetrachloride and magnesium diene adducts, 1971
Ethyl vinyl ether in methylene dichloride solution, radiation-induced cationic polymerization of, 65
—, the influence of monomer and solvent concentrations on the rate of the radiation-induced cationic polymerization of, 427
Exchange reactions, activated derivatives of succinic and glutaric half-esters of polypropylene glycols, and their exchange half-esters of polypropylene glycol, with hydroxy- and amino-compounds, 1689
Excimer emission in solution, polarization of, 175
Excluded volume effect on polymer films, 334
Exothermal effects of superimposed processes of activated anionic polymerization of ε-caprolactam and crystallization of the polymer formed, 385
Extension, craze, rate of, and relaxation of stresses in crazes at crack tips, 754
Extensional flow fields, photon-correlation velocimetry of polystyrene solutions in, 1435
Failure and tensile deformation processes of amine-cured epoxies, 295

Fibres and membranes, polyethylene-based, crystallinity in, 601
—, melt-spun and solution-spun of biodegradable materials of poly(L-lactic acid), 1587
Films, nitrocellulose/nitroglycerine, sorption of iso-propyl nitrate and acetone into, 144
—, polymer, excluded volume effect on, 334
—, polyacetylene, doped with $MoCl_5$ and WCl_6, physical properties of, 834
—, highly iodene-doped polyacetylene, infrared transmission of, 1847
Flexible-chain polymers, orientational effects and ordering of, in concentrated solutions and in bulk, 1481
Fluorescence polarization measurements and discrimination of uniaxial deformation models, accuracy of, 797
— microscopy, orientation measurements during drawing of polypropylene by, 1575
Fluoroethylene–propylene, study of localized states in, by space charge limited current measurements, 1622
Foam formulation, rigid polyurethane, curing kinetics of a, 1489
Folding of polypeptide chains, factors governing the, in block copolymers with a polyvinyl and a polypeptide block, 1039
Forbes' method, the measurement of the thermal conductivity of poly(methylmethacrylate) by, using infra-red temperature measurement, 1108
Formaldehyde, the acid-catalysed condensation of phenol-4-sulphonic acid with, 1229
Formation mechanism of finger-like cavities in membranes from cellulose nitrate and a single solvent, 999
Functional groups, unequal reactivities of, reversible polycondensation characterized by, 222
Functionalities, average, of macromolecules in stepwise polyfunctional polymerization, 69
Fracture, internal, of notched epoxy resins, 291
— behaviour of a poly(xylenol ether)/high impact polystyrene polyblend, 1977
Gas–liquid chromatography, determination of the solubility parameter of poly(ethylene oxide) at 25°C by, 1361
Gaussian distribution of chain-lengths, the effect of a, on the phase-behaviour of a model system of rod-like macromolecules in solution, 558
Gel chromatographic investigation of *p*-benzoquinone and styrene products copolymerized in the presence of BF_3OEt_2, 1388
Gel permeation chromatography, data handling in, for routine operations, 137
—, a study of micelles in a base lubricating oil by, 650
Gelation and production of stiff polyethylene fibres, 1112
Gels, diffusion in, 1012
—, polyurethane, Brillouin scattering from, 1884
Glass transition, statistical mechanical theories of the, a new perspective, 36
— temperature, transition of polymers from the fluid to the forced high-elastic and leathery states at temperatures above the, 91
— temperature, dielectric loss of an oligomeric poly(propylene oxide) in the liquid region above, 314
— temperatures of highly crosslinked networks: Cured epoxy resins, 1466
—, annealing of polycarbonate below the, quantitative interpretation of the effect on yield stress and differential scanning calorimetry measurements, 1599
Glassy polymers, time-dependent birefringence in, during stress-relaxation and recovery, 129
—, physical ageing in, an i.r. spectroscopic investigation of poly(ethylene terephthalate), 1129
—, deformation zones and entanglements in, 1183
Glucose derivatives, diffusion of, in aqueous solutions of hydroxypropyl cellulose, 325
Glycerol, thermomechanical properties of nylon-6,6 annealed in, 1377
— in cellulose acetate, in the dielectric studies of cellulose and its derivatives, 1615
Grafting of styrene onto poly(butyl acrylate) in emulsion, 839
Growth, oriented, and eutectic solidification in mixtures of polyethylene and 1,3,5-tribromobenzene, 985

Heat capacity of cellulose and lignin by d.s.c., studies on, 1801
Heterogeneous media, external diffusion limitations in initiator decomposition in, 740
— reactions of polymers: 3. Conformational analysis of heterogeneously chlorinated polyethylenes, 1163
Hexachlorocyclotriphosphazene, polymerization of, by sulphur and selenium, 495
Hexagonal phase, annealing of polyethylene crystals in the, 773
Histogram method in photon correlation spectroscopy applied in dilute polymer solutions, a second comment on the, 649
Homosaligenin polycondensation, crystallizable cresolic resins by, 928

Hydrogel, polymeric, preparation, purity of crosslinkers for, 340
— formation based on the radical copolymerization of 2-hydroxyethylmethacrylate and 2,3-dihydroxypropylmethacrylate, 748
—, crosslinked poly(ethylene oxide), preparation and swelling of a, 1345
Hydrogen bonding, the influence of, on mechanical anisotropy in oriented nylon-12, 829
Hydrogen-ion transport numbers in cation exchange membrane determined by e.m.f. method, 203
Hydroxyalkylmethacrylates: Kinetic investigations of radical polymerizations of pure 2-hydroxyethyl methacrylate and 2,3-dihydroxypropyl methacrylate and the radical copolymerization of their mixtures, 81
—: hydrogel formation based on the radical copolymerization of 2-hydroxyethylmethacrylate and 2,3dihydroxypropylmethacrylate, 748

Impact properties and dynamic mechanical properties of polypropylene/EPDM blends, 699
Infra-red study on the conformational regularity in needle-like and other polyoxymethylene crystals, 509
—, Raman and n.m.r. spectra of conformational structure of poly(ethylene terephthalate), 714
— spectroscopy, time resolved Fourier transform, deformation studies of polymers by: 1. Development of the technique, 965
— temperature measurement, the measurement of the thermal conductivity of poly(methylmethacrylate) by Forbes' method, using, 1108
— spectroscopic investigation of the physical ageing of poly(ethylene terephthalate), a glassy polymer, 1129
— study of model compounds of poly(tetramethylene terephthalate), 1759
— transmission of highly iodene-doped polyacetylene films, 1847
— dichroism, inversion of, in linear crystallizable polyurethanes, 1917
Initiator, order of reaction with respect to, in the seeded emulsion polymerization of vinyl acetate, 77
—, radical, carbon-13 n.m.r. study of end groups in polymers prepared using azobutyronitrile as, 163
— decomposition in heterogeneous media, external diffusion limitations in, 740
— an efficient bifunctional lithium–organic, to be used in apolar solvents, 1953
Initiators, new perfectly difunctional organolithium, for block copolymer synthesis: 2. Difunctional polymers of dienes and of their triblock copolymers with styrene, 73
—, new, salt complex bases as, in anionic polymerization of vinyl monomers, 283
—, some unsymmetrical azo compounds as, in radical polymerization,, 629
— of vinyl polymerization, peroxo salts as: Polymerization of acrolein initiated by potassium peroxodiphosphate, 1999
Interaction of organic vapours with hydroxylpropyl cellulose, 43
— parameter, shellac–solvent, 1244
— parameter, dependence of, on molecular weight and concentration for solutions of poly(dimethylsiloxane) in methylethylketone, 1311
— of poly(ethylene oxide) with solvents: 1. Preparation and swelling of a crosslinked poly(ethylene oxide) hydrogel, 1345
Interactions, polymer–filler, in composites with grafted filler particles, 164
— between cations and kryptofix (2,2) bound to soluble or gel polyacrylamide, ^{13}C and ^{23}Na n.m.r. studies of the, 907
— of *trans* polyacetylene $(CH)_x$ with oxygen, a kinetic study of the, 1409
Interfacial tension of demixed polymer solutions over a wide range of reduced temperatures, 722
— of demixed polymer solutions near the critical temperature: polystyrene plus methylcyclohexane, 728
— between demixed symmetrical polymer solutions: Polystyrene–poly(dimethylsiloxane)–propylbenzene system, 1937
Internal fracture of notched epoxy resins, 291
Inversion of infra-red dichroism in linera crystallizable polyurethanes, 1917
Ion exchangers, cyanide, copolymers of haemin and vinyl monomers as, modification of the ion exchange properties by introduction of acrylamide residues, 1815
Ionic conductivity and morphology of complexes of sodium iodide and sodium thiocyanate with poly(ethylene oxide), 681
— and morphology of some lithium ion complexes with poly(ethylene oxide), 690
Ionomers, acrylic ampholytic, 843
—, polyurethane, synthesis and characterization of some, 1167
Irradiation, γ-, changes in physical properties and molecular structure of butyl rubber during, 1457
Isomerization, *cis–trans*, of polyacetylene induced by mechanical rolling, 14
— thermal *cis–trans*, modofication of polyacetylene chains, 1862
Isoprene–butadiene networks, chemorheological studies of, 1519
— and butadiene hydrogenated linear block copolymers, effects of variation of composition and sequence architecture on properties, 1523
Isotopic dilution, ^2H n.m.r. relaxation and molecular motion of polyethylene in solution as studied by, 598

Kapton polyimide film, electrical conduction in, at high electrical fields, 17
Kevlar 49 aramid, an e.s.r. study of the thermal degradation of, 365
Kinetic investigations of radical polymerizations of pure 2-hydroxyethyl methacrylate and 2,3-dihydroxypropyl methacrylate and the radical copolymerization of their mixtures, 81
— studies. Polymerization of acetylene by soluble Ziegler–Natta catalyst, 246
— study of 'living' coordination polymerization of propene with the soluble $V(acac)_3$–$Al(i\text{-}C_4H_9)_2Cl$ system, 258
— study on the first stage during thermal degradation of polystyrene, 1091
— mechanism of free radical bulk copolymerization of styrene–methylmethacrylate, comments on the, 1245
— data, a collection of, for the diffusion of organic compounds in polyolefins, 1325
— study of the interactions of *trans* polyacetylene $(CH)_x$ with oxygen, 1409
— data, adiabatic, correlation of, 1473
Kinetics, sorption, and volumetric changes: poly(methylmethacrylate) plus water, 197
— crystallization, of poly(1,3-dioxolane), 374
—, synthesis and characterization in the alternating copolymerization of 2-methyl-2-oxazoline with α-chloro- and α-bromoacrylic acids, 1372
—, polymer crystallization, the use of d.s.c. to study, 1380
—, curing, of a rigid polyurethane foam formulation, 1489
— of polymer surface fluorination: Elemental and plasma-enhanced reactions, 1546
— of anionic polymerization of lactams. (Solution of non-isothermal kinetic problems by the inverse method), 1791

Lactams, kinetics of anionic polymerization of, (solution of non-isothermal kinetic problems by the inverse method), 1791
Lattice coordination number in polystyrene solutions, 1859
Light scattering measurements of cyclic and linear poly(dimethylsiloxanes) in good and poor solvents, 869
—, quasi-elastic, and concentration dependence of diffusion coefficients of cyclic and linear poly(dimethylsiloxanes), 873
—, dynamic, cooperative and self-diffusion of polymers in semi dilute solutions by, 1403
—, quasi-elastic, from dilute solutions of a semi-rigid macromolecule: cellulose tricarbanilate, 1755
— studies, small-angle, of poly(*N*-vinylcarbazole), 1842
Lignin and cellulose, studies on heat capacity of, by d.s.c., 1801
Lignins, amorphous, and polystyrenes, temperature dependence of X-ray diffractograms of, 475
Liquid crystal polymers, solidified, rigid chain, the nature of crystallites in, 359
Liquid crystalline polymers, microheterogeneous structure of, 484
Lithium doping of *cis* polyacetylene $(CH)_x$, 173
— –organic initiator, an efficient bifunctional, to be used in apolar solvents, 1953
Localized states in FEP by space charge limited current measurements, 1622
Lubricating oil, base, a study of micelles in a, by g.p.c., 650

Macroinorganics: 8. Chelation of copper(II) ion with some new poly(amido–amines), 148

Macromolecule, semi-rigid, cellulose tricarbanilate, quasi-elastic light scattering from dilute solutions of, 1755
Macromolecules, average functionalities of, in stepwise polyfunctional polymerization, 69
—, rod-like, in solution, phase-behaviour of a model system of, the effect of a Gaussian distribution of chain-lengths on the, 558
—, theory of adsorption of, in cylindrical pores and at surfaces of cylindrical shape, 1133
Magnetic birefringence of polystyrene sulphonate: Molecular weight and concentration dependence, 1990
Maleic acid copolymer with styrene in aqueous salt solution, studies on conformational transition of the, by derivative spectroscopy, 238
Maleic anhydride copolymers, polymer supports based on, preparation of beaded copolymers of maleic anhydride on dimethylacrylamide pre-polymers, 947
Mannich bases in polymer synthesis: 3. Reduction of poly(*β*-aminoketone)s to poly(*γ*-aminoalcohol)s and their *N*-alkylation to poly(*γ*-hydroxy quaternary ammonium salt)s, 1693
Mass spectral analysis of poly(*p*-phenylene sulphide), 310
— transfer of condensation product, simulation of AA B′B″ type reversible polymerizations with, 1367
Measurement of the unperturbed dimensions of stereoregular PMMA, 105
Mechanical rolling, *cis–trans* isomerization of polyacetylene induced by, 14
— theories, statistical, of the glass transition, a new perspective, 36
— properties of miscible polycarbonate–copolyester blends, 112
— degradation of polyethylene, 1027
— properties and superstructure of high-modulus and high-strength nylon-6 fibre prepared by the zone-annealing method, 1199
— properties and crystallization behaviour of ultra-high molecular weight polyethylene crosslinked in the melt by means of 2,5-dimethyl-2,5-bis(tert-butyldioxy)-3-hexyne, 1944
Melting behaviour and morphology of semi-crystalline PET: 3. Quantification of crystal perfection and crystallinity, 185
— behaviour, morphology and crystallinity of films of isotactic polypropylene blended with ethylene–propylene copolymers and polyisobutylene, 229
— multiple, in blends of poly(vinylidene fluoride) with isotactic poly(ethylmethacrylate), 735
— of ultra-high modulus linear polyethylene, superheating effects on the, 935
— and annealing effects on molecular motion of spin-labelled molecules at the polymer chain-end located on the polypropylene surface, 1594
Melts, flowing PET, Raman spectroscopy of, 9
—, homopolymer, a convenient neutron scattering method for studying monomer correlations in, 29
Membrane, cation exchange, hydrogen-ion transport numbers in, determined by e.m.f. method, 203
Membranes, special polymer, studies on synthesis and permeabilities of: 33. Permeation behaviour of aqueous alcohol solution through cellulose membranes, 192
—, cellulose nitrate, from binary organic solvents, finger-like cavities in, 488
— and fibres, polyethylene-based, crystallinity in, 601
—, poly(*γ*-methyl L-glutamate), permeabilities of, 617
— from cellulose nitrate and a single solvent, formation mechanism of finger-like cavities in, 999
Methacrylic acid metal salts in solid state, tetramer formation from, 152
Methylene blue as a retarder of free radical polymerization: 1. Polymerization of acrylonitrile, methylmethacrylate and styrene, 1653
Methylethylketone, dependence of interaction parameter on molecular weight and concentration for solutions of poly(dimethylsiloxane) in, 1311
Methylmethacrylate–styrene copolymer, Prepared in presence of zinc chloride, n.m.r study of, 20
— -*N*-iso-butylmaleimide and styrene-*N*-iso-butylmaleimide, reactivity ratios of, 146
— –acrylonitrile random copolymers, behaviour of, in dilute solution, 991
2-Methyl-2-oxazoline, alternating copolymerization of, with α-chloro- and α-bromoacrylic acids: 3. Synthesis, characterization and kinetics, 1372
Methyl torsion in isotactic polypropylene, investigation of the, comparison between neutron inelastic scattering spectra and normal coordinate calculations, 499
Methylvinylketone copolymers, reaction of 2,4-dinitrophenylhydrazine with, effect of steric environment, 1259
Micellar solutions, the concentration dependence of the angular dissymmetry of light scattered by, 170
Micelles in a base lubricating oil by g.p.c., a study of, 650
Microheterogeneous structure of liquid crystalline polymers, 484
Micromechanics and microstructure of CO_2 crazes in polystyrene, 1667
Microparacrystals, globules of, in nascent isotactic polypropylene, 979
— in polymers, equilibrium size distribution of, 1101
Microstructural changes in stressed polymers characterized by vibrational spectroscopy, 969
Microstructure, craze, effect of strain history on, 457
— of high modulus solid state extruded polyethylene: 1. Electron microscopy studies of 12, 24 and 36× *EDR*, 1069
— and micromechanics of CO_2 crazes in polystyrene, 1667
— and deformation of polyethylene, the influence of branch length on the, 1680
Migration of food-contact organotin stabilizers from PVC, a review of the, 1385
Miscibility of SAN copolymers with polyacrylates and polymethacrylates, 1543
Model compounds of poly(tetramethylene terephthalate), an infra-red study of, 1759
— for structural inhomogeneities in hexagonal polyoxymethylene, 1865
Modelling of reversible novolac type phenol–formaldehyde polymerization, 1929
Modification of polyacetylene chains during thermal *cis–trans* isomerization, 1862
Molecular weight, non-equilibrium, studies on the metathesis polymerization of cyclopentene initiated by $WCl_6/AliBu_3$: Effect of catalyst ageing time, 211
— weight distributions in novolac type phenol–formaldehyde polymerizations, 215
— weight distribution of oligomers, 497
— alignment in polyethylene terephthalate copolymers, effect of composition on, 505
— disorder and crystal transformation in poly(tetrafluoroethylene), X-ray diffraction study of, 521
— motion and ^1H n.m.r. relaxation of polyethylene in solution as studied by isotopic dilution, 598
— conformation and birefringence of nitrocellulose, 710
— motion of syndiotactic poly(α-methylstyrene) in solution studied by ^{13}C n.m.r. relaxation measurements, 817
— model of partial crystallization of branched polyethylene, 1300
— structure and physical properties of butyl rubber during γ-irradiation, changes in, 1457
— motion of spin-labelled molecules at the polymer chain-end located on the polypropylene surface, melting and annealing effects on, 1594
— dimensions, unperturbed, of poly(ethylene oxide) in aqueous solutions from intrinsic viscosity measurements and the evaluation of the theta temperature, 1775
— motion in poly(amino acid)s: 6. Molecular motion in a *β*-form crystal of poly(γ-methyl-D-glutamate), 1894
Monomer correlations in homopolymer melts, a convenient neutron scattering method for studying, 29
Monomers, acrylate, based on 2,6-piperazinedione, 771
— copolymerization of vinyl chloroformate and phenyl vinyl carbonate with, 855
—, functional, pressure sensitive adhesives of acrylic polymers containing, 937
Monte Carlo simulation of radiation-induced solid state polymerization, 1226
Morphology and melting behaviour of semi-crystalline PET: 3. Quantification of crystal perfection and crystallinity, 185
—, crystallinity and melting behaviour of films of isotactic polypropylene blended with ethylene–propylene copolymers and polyisobutylene, 229
— and crystal growth rate in poly(1,3-dioxolane), influence of molecular weight and temperature on the, 379
— and ionic conductivity of complexes of sodium iodide and sodium thiocyanate with poly(ethylene oxide), 681
— and ionic conductivity of some lithium ion complexes with poly(ethylene oxide), 690
—, preparation and unit cells of three poly(hexamethylene terephthalate) allomorphs, 805
— of ethylene–propylene copolymers, 1189
— of polyacetylene and doped polyacetylene, 1211
— and toughness characterization of epoxy resins modified with amine and carboxyl terminated rubbers, 1897
—, blend, multiple crystallization behaviour of polypropylene/thermoplastic rubber blends and its use in assessing, 1913
Motion in solutions of poly(ethylene oxide) in the presence of the crystalline phase, anisotropy of, 1477

Networks from acrylated epoxy resins, dynamic thermomechanometry of, 761
—, polystyrene, specific volume of, 1317
—, highly crosslinked, glass transition temperatures of, cured epoxy resins, 1466
—, isoprene–butadiene, chemo-rheological studies of, 1519
Neutron scattering, a convenient method for studying monomer correlations in homopolymer melts, 29
—, spectra, inelastic, and normal coordinate calculations, comparison between, in an investigation of the methyl torsion in isotactic polypropylene, 499
—, inelastic, dynamical studies of fully oriented deuteropolyethylene by, 578
—, small-angle, structural characterization of semi crystalline polymer blends by, 957
—, small-angle, characterization of plastic deformation in amorphous polymers, 1751
— studies, conformation of the molecules in drawn polypropylene revealed by, 1875
—, small-angle, from branched epoxide resins, 1889
Nitration and denitration of cellulosic materials, e.s.c.a. studies of the, 1034
Nitrocellulose/nitroglycerine films, sorption of iso-propyl nitrate and acetone into, 144
—: birefringence and molecular conformation, 710
Nitroglycerine/nitrocellulose films, sorption of iso-propyl nitrate and acetone into, 144
6′-Nitro-1,3,3-trimethyl-spiro-(2′H-1′-benzopyran-2,2′-indoline), photomechanical effects in polymers containing, 779
Novolac type phenol–formaldehyde polymerizations, molecular weight distributions in, 215
— type phenol–formaldehyde polymerization, reversible, modelling of, 1929
Novolacs, statistical aspects for the production of, 263
—, batch and continuous reactors for the production of, 267
Nuclear magnetic resonance study of copolymer of styrene with methylmethacrylate prepared in presence of zinc chloride, 20
—, ^{19}F, solid state, of deformed PTFE, 39
—, carbon-13, study of end-groups in polymers prepared using azobutyronitrile as radical initiator, 163
— spectroscopy, ^{13}C, structural characterization of 1,2-polybutadiene by: 1. Signal assignment in hydrogenated polybutadienes, 287
—, -^{13}C, spectroscopy, structural characterization of 1,2-polybutadiene by: 2. Sequence distribution of 1,2-unit in hydrogenated polybutadienes, 413
—, ^{1}H, relaxation and molecular motion of polyethylene in solution as studied by isotopic dilution, 598
— spectra, high resolution ^{13}C, of solid isotactic polypropylene, 694
— spectroscopy, i.r. and Raman spectra of conformational structure of poly(ethylene terephthalate), 714
—, ^{13}C, relaxation measurements, molecular motion of syndiotactic poly(α-methylstyrene) in solution studied by, 817
—, ^{13}C and ^{23}Na, studies of the interactions between cations and kryptofix (2,2) bound to soluble or gel polyacrylamide, 907
—, ^{13}C, spectroscopy, structural characterization of polyprenol by, signal assignments of polyprenol homologues, 1087
—, ^{13}C, study of the structure of poly(aspartic acid), 1237
—, ^{13}C, and X-ray study of the relationship between the distribution of nitrate ester groups and inter-chain $d(110)$ spacings in a series of cellulose nitrates, 1295
— spectroscopy, ^{1}H, of the complexation of polybutadienyllithium by *N,N,N′,N′*-tetramethylethylenediamine, 1636
—, *FT*-pulsed field gradient, self-diffusion study of the solution conformation of poly(ethylene oxide), 1780
Nuclear pore filters in poly(ethylene terephthalate) and ethylene–tetrafluoroethylene copolymer, scanning electron microscopy of, 1143
Nucleophillic substitution onto poly(methylmethacrylate): 4. Dilute solution properties of substituted polymethacrylates, 1493
Nylon-6 fibre, high-modulus, preparation of, by an improved zone-annealing method, 176
— fibre, high-modulus and high-strength, preparation of, by the zone-annealing method, 1193
— fibre, high-modulus and high-strength, prepared by the zone-annealing method, mechanical properties and superstructure of, 1199
— fibre, ultra-high-strength, preparation of, by a multi-step zone-annealing method, 1983
Nylon-6,6 annealed in glycerol, thermomechanical properties of, 1377
—, effect of test frequency and water content on localized crack-tip heating in, 1675
Nylon-12, oriented, the influence of hydrogen bonding on mechanical anisotropy in, 829

Oligomers, the molecular weight distribution of, 497
Optically active polymers containing side-chain *trans*-stilbene chromophores, 1355
Ordering and orientational effects in flexible-chain polymers in concentrated solutions and in bulk, 1481
Organic vapours, interaction with hydroxylpropyl cellulose, 43
— -lithium initiator, an efficient bifunctional, to be used in apolar solvents, 1953
Orientation process in the drawing of dry gel films of polyethylene and polypropylene, 1123
— distribution functions for biaxially oriented polymers, 1251
— measurements during drawing of polypropylene by fluorescence polarization microscopy, 1575
Orientational effects and ordering of flexible-chain polymers in concentrated solutions and in bulk, 1481
Oxidation, effects of, on I_2 doping of *trans*-polyacetylene as studied *via* e.s.r. and conductivity measurements, 439
Oxidative stability, conductivity and free radical population of poly(1,6-heptadiyne), effect of a free radical quencher on the, 435

Packing properties of poly(acetylene) chains, 1581
Peptide synthesis, solid phase, on an acrylate copolymer attached to porous silica beads, 306
— -resin assemblies, poly(acryloylmorpholine)-based, and derived peptide segments, catalytic transfer hydrogenation of, 1685
Permanganic etchant, an improved, for polyolefins, 1707
Permeabilities of poly(γ-methyl L-glutamate) membranes, 617
Permeability and synthesis of polymer membranes: 41. Finger-like cavities in cellulose nitrate membranes from binary organic solvents, 488
Permeation behaviour of aqueous alcohol solution through cellulose membranes, 192
Peroxo salts as initiators of vinyl polymerization: Polymerization of acrolein initiated by potassium peroxodiphosphate, 1999
Persistent cylinder model of Yamakawa, intrinsic viscosity of cellulose derivatives and the, 800
Phase transition of polyethylene under high pressure, thermodynamic analysis of the, 391
— -behaviour of a model system of rod-like macromolecules in solution, the effect of a Gaussian distribution of chain-lengths on the, 558
— separation in polyblends of block copolymers, studies on, 1557
Phenol–formaldehyde polymerization, reversible novolac type, modelling of, 1929
Phenolic copolymers, four component, effect of substituents on the composition and dissociation behaviour of some, 1659
Phenol-4-sulphonic acid, the acid-catalysed condensation of, with formaldehyde, 1229
Phenylacetylene, polymerization of, induced by u.v. irradiation of group 6 transition metal carbonyls, 1663
Phenyl vinyl carbonate and vinyl chloroformate, copolymerization of, with vinyl monomers, 855
Phonon dispersion curves and elastic properties of polyoxymethylene single crystals, 569
Photochemical degradation of polyepichlorohydrin and its cleavage with n-butyl lithium, 919
Photo-energy transfer in polystyrene–polyphenylene oxide blends, 924
Photodegradation and synthesis of copolyamides containing α-diketone linkage in the main chain, 342
Photoinitiators, free radical, photopolymerization of *N*-vinylcarbazole in the presence and absence of, 1045
Photolysis study, laser flash, of the triplet lifetime of poly(phenyl vinyl ketone), 913
Photomechanical effects in polymers containing 6′-nitro-1,3,3-trimethyl-spiro-(2′H-1′-benzopyran-2,2′-indoline), 779
Photon correlation spectroscopy studies of dilute polymer solutions, data fitting in, 492
— correlation spectroscopy, the histogram method in, applied in dilute polymer solutions, a second comment on the, 649
— -correlation velocimetry of polystyrene solutions in extensional flow fields, 1435

Photo-oxidation of polystyrene in dichloromethane solutions, 281
Photopolymerization of *N*-vinyl carbazole in dichloromethane in the presence and absence of free radical photoinitiators, 1045
Physical properties of polyacetylene films doped with $MoCl_5$ and WCl_6, 834
— and molecular structure of butyl rubber during γ-irradiation, changes in, 1457
2,6-Piperazinedione, acrylate monomers based on, 771
Plasma-enhanced and elemental reactions in polymer surface fluorination, kinetics of, 1546
Plasticizer concentration and annealing, effect of, on the structure ofmPVC, 1508
Polarization of excimer emission in solution, 175
Poly(acetylene), *cis–trans* isomerization of, induced by mechanical rolling, 14
— $(CH)_x$ *cis*, lithium doping of, 173
—, *trans*-, effects of oxidation on I_2 doping of, as studied *via* e.s.r. and conductivity measurements, 439
— films doped with $MoCl_5$ and WCl_6, physical properties of, 834
— and doped polyacetylene, morphology of, 1211
—, *trans*, interactions with oxygen, a kinetic study of, 1409
— chains, on the packing properties of, 1581
— films, highly iodine-doped, infra-red transmission of, 1847
— chains, modification of, during thermal *cis–trans* isomerization, 1862
— tetrachloroferrate and tetrachloroaluminate, electrochemical synthesis of, 1872
Polyacrylamide, soluble or gel, ^{13}C and ^{23}Na n.m.r. studies of the interactions between cations and kryptofix (2,2) bound to, 907
Polyacrylates and polymethacrylates, miscibility of SAN copolymers with, 1543
Poly(acryloylmorpholine)-based peptide-resin assemblies and derived peptide segments, catalytic transfer hydrogenation of, 1685
Polyamide–imides, synthesis and characterization of, from 3,4-dicarboxy-4′-chloroformylbiphenyl anhydride, 1057
Polyamides, *N*-propargyl-substituted aromatic, preparation and thermal crosslinking, 621
Poly(amido–amines), new, chelation of copper(II) ion with some, 148
—, tertiary, synthesis of, with amido- and amino- groups randomly arranged along the macromolecular chain, 1233
Poly(aminium phosphate)s, organic, synthesis of some, 422
Poly(amino acid)s, molecular motion in a β-form crystal of poly(γ-methyl-D-glutamate), 1894
Poly(γ-aminoalcohols)s, reduction of poly(β-aminoketone)s to, and their *N*-alkylation to poly(γ-hydroxy quaternary ammonium salt)s, with Mannich bases, 1693
Poly(β-aminoketone)s, reduction to poly(γ-aminoalcoholsl)s and their *N*-alkylation to poly(γ-hydroxy quaternary ammonium salt)s, with Mannich bases, 1693
Poly(aspartic acid), ^{13}C n.m.r. study of the structure of, 1237
Poly(bisphenol A iso/terphthalate) copolycarbonates, synthesis and properties of some, 609
Polyblends of block copolymers, studies on phase separation in, 1557
Polybutadiene, 1,2-, structural characterization of, by ^{13}C n.m.r. spectroscopy: 1. Signal assignment in hydrogenated polybutadienes, 287
— polymers, linear and star shaped, in solutions of cyclohexane, hexane and ethylbenzene, ultrasonic investigations of, 369
—, 1,2-, structural characterization by ^{13}C-n.m.r. spectroscopy: 2. Sequence distribution of 1,2-unit in hydrogenated polybutadienes, 413
—, *cis*-1,4-, chlorination of, 1805
Polybutadienes, hydrogenated, signal assignment in, structural characterization of 1,2-polybutadiene by ^{13}C n.m.r. spectroscopy, 287
Polybutadienyllithium, ^1H n.m.r. spectroscopy of the complexation of, by *N*,*N*,*N*′,*N*′-tetramethylethylenediamine, 1636
Poly(butyl acrylate), grafting of styrene onto, in emulsion, 839
—, the *in situ* polymerization of vinyl chloride in, 1965
Poly(1,4-butylene terephthalate), cyclic oligomers in, 323
Polycarbonate–copolyester blends, miscible, mechanical properties of, 112
—, annealing of, below the glass transition: quantitative interpretation of the effect on yield stress and differential scanning calorimetry measurements, 1599
Polycondensation, reversible, characterized by unequal reactivities of functional groups, 222
—, homosaligenin, crystallizable cresolic resins by, 928
Poly(1,4-*trans*-cyclohexanediyl-dimethylene terephthalate), crystal structure of, 1960
Poly(9,10-dihydroanthracene-9,10-diylidene), 1,5- and 1,8-dichloro-substituted, synthesis and properties of, 613
Poly(dimethylsiloxane), dependence of interaction parameter on molecular weight and concentration for solutions of, in methylethylketone, 1311
— polymers, anomalous dielectric relaxation in, 1394
— –polystyrene–propylbenzene demixed symmetrical polymer solutions, interfacial tension between, 1937
Poly(dimethylsiloxanes), cyclic and linear, studies of: 7. Diffusion behaviour in a poor solvent, 865
—, cyclic and linear, studies of: 8. Light scattering measurements in good and poor solvents, 869
—, cyclic and linear, studies of: 9. Quasi-elastic light scattering and concentration dependence of diffusion coefficients, 873
Poly(2,6-dimethyl-1,4-phenylene oxide) with head-to-head, blends of, 271
— –atactic polystyrene blends, uniaxially oriented, evaluation of the birefringence of, 706
Poly(1,3-dioxolane), crystallization kinetics of, 374
—, influence of molecular weight and temperature on the morphology and crystal growth rate, 379
Polydispersity ratios, low, block copolymers with, a simplified apparatus for the preparation of, 1988
Polyelectrolytes, on the theory of weakly charged, 1742
—, synthetic, electric dichroism studies of the bonding of Co(III) chelate with, 1177
Polyepichlorohydrin, chemical modification of, and anionic synthesis of poly(epichlorohydrin-*g*-styrene), 57
—, photochemical degradation of, and its cleavage with n-butyl lithium, 919
Poly(epichlorohydrin-*g*-styrene), anionic synthesis of, and chemical modification of polyepichlorohydrin, 57
Polyester/chlorinated poly(vinyl chloride) blends, studies of, 1051
Polyesters with mesogenic groups and flexible spacers in the main chain, synthesis and properties of some, 47
—, high molecular weight, from alkali metal carboxylates and α,ω-dibromo compounds, 168
Polyether–MDI–butanediol based urethanes, structure–property behaviour of segmented, effect of composition ratio, 1077
Polyethylene, highly oriented, sorption and diffusion of solvents in, 142
—, phosphorylated resins of, thermal degradation of a series of, 154
—, chlorinated, and poly(methylmethacrylate), compatibility of, 336
—, oriented linear, shear and tensile relaxation behaviour in, 349
— thermodynamic analysis of the phase transition of, under high pressure, 391
—, crystalline, stochastic defect diffusion model for relaxation effects in, 401
—, ^1H n.m.r. relaxation and molecular motion of, in solution as studied by isotopic dilution, 598
— -based membranes and fibres, crystallinity in, 601
— fractions, role of reptation in the rate of crystallization of, from the melt, 656
— crystals in the hexagonal phase, annealing of, 773
—, polymerization of acetylene in, electrically conductive polymer composites, 795
— resins, polyphosphorylated, *SEM* study of, 931
—, ultra-high modulus linear, superheating effects on the melting of, 935
— and 1,3,5-tribromobenzene, mixtures of, eutectic solidification and oriented growth in, 985
—, mechanical degradation of, 1027
—, high modulus solid state extruded, microstructure of: 1. Electron microscopy studies of 12, 24 and 36× *EDR*, 1069
— fibres, stiff, gelation and production of, 1112
— and polypropylene dry gel films, orientation process in the drawing of, 1123
—, molten, the local structure of, 1273
—, unannealed and annealed solution-crystallized, distribution of straight-chain lengths in, by Raman spectroscopy, 1286
—, branched, molecular model of partial crystallization of, 1300
—, electron trapping model of u.v. induced thermoluminescence in, 1461
—, the influence of branch length on the deformation and microstructure of, 1680
—, crosslinking of ultra-high molecular weight, in the melt by means of 2,5-dimethyl-2,5-bis(tert-butyldioxy)-3-hexyne: 2. Crystallization behaviour and mechanical properties, 1944
Polyethylenes, irradiated linear, changes in the crystalline content of, upon ageing, 654
—, heterogeneously chlorinated, conformational analysis of, 1163

Poly(ethylene oxide)/poly(methylmethacrylate) binary blends, first results of small- and wide-angle X-ray scattering of, 331
—, complexes of sodium iodide and sodium thiocyanate with, morphology and ionic conductivity of, 681
—, morphology and ionic conductivity of some lithium ion complexes with, 690
— and poly(methylmethacrylate), spherulitic crystallization in blends of, 1322
—, interaction of, with solvents: 1. Preparation and swelling of a crosslinked poly(ethylene oxide) hydrogel, 1345
—, determination of the solubility parameter of, at 25°C by g.l.c., 1361
—, anisotropy of motion in solutions of, in the presence of the crystalline phase, 1477
—, the unperturbed molecular dimensions of, in aqueous solutions from intrinsic viscosity measurements and the evaluation of the theta temperature, 1775
—, the solution conformation of, an *FT*-pulsed field gradient n.m.r. self-diffusion study, 1780
Poly(ethylene oxide-*b*-styrene) copolymers as solid–liquid phase transfer catalysts, 1159
Poly(ethylene terephthalate) flowing melts, Raman spectroscopy of, 9
—, semi-crystalline, morphology and melting behaviour of: 3. Quantification of crystal perfection and crystallinity, 185
— copolymers, effect of composition on molecular alignment in, 505
— fibres, quantitative characterization of orientation in, by Raman spectroscopy, 645
—, conformational structure of, from i.r., Raman and n.m.r. spectra, 714
—, tensile drawing behaviour of, influence of molecular weight and pre-orientation, 766
—, a glassy polymer, an i.r. spectroscopic investigation of the physical ageing in, 1129
— and ethylene–tetrafluoroethylene copolymer, scanning electron microscopy of nuclear pore filters in, 1143
— films, action of far-ultra violet radiation (185nm) on, a method for controlled dry-etching, 1863
Poly(ethylene/tetramethylene terephthalate) copolyesters, preparation and characterization of, 1391
Poly(ethylmethacrylate), isotactic, –poly(vinylidene fluoride) blends, multiple melting in, 735
Poly(1,6-heptadiyne), the effect of a free radical quencher on the conductivity, oxidative stability and free radical population of, 435
Poly(hexamethylene terephthalate), the structure and properties of, the preparation, morphology and unit cells of three allomorphs, 805
Poly(3-hydroxy-benzoates), linear and branched, new polymer syntheses, 1821
Poly(2-hydroxyethylmethacrylate) based composites, dynamic mechanical properties of, 1242
Poly(γ-hydroxy quaternary ammonium salt)s, reduction of poly(β-aminoketone)s to poly(γ-aminoalcohols)s and their *N*-alkylation to, with Mannich bases, 1693
Polyimide, Kapton, film, electrical conduction in, at high electrical fields, 17
Poly-*p*-isopropyl-γ-methylstyrene, regularity and stereoregularity of, 1501
Poly(L-lactic acid), biodegradable materials of: 1. Melt-spun and solution-spun fibres, 1587
Polymer–filler interactions in composites with grafted filler particles, 164
— films, excluded volume effect on, 334
— solution dynamics, screening concepts in, 345
— blends, binary, thermomechanical analysis of, 466
— solutions, dilute, data fitting in photon correlation spectroscopy studies of, 492
— supports based on maleic anhydride copolymers: preparation of beaded copolymers of maleic anhydride on dimethylacrylamide pre-polymers, 947
— crystal, compressibility of the, 1412
Polymeric powders, solid phase compaction of: effects of compaction conditions on pressure and density variations, 123
Polymerization, radiation-induced cationic, of vinyl ethers in solution: 2. Polymerization of ethyl vinyl ether in methylene dichloride solution,65
—, stepwise polyfunctional, average functionalities of macromolecules in, 69
—, seeded emulsion, of vinyl acetate: order of reaction with respect to initiator, 77
—, radical, of pure 2-hydroxyethyl methacrylate and 2,3-dihydroxypropyl methacrylate and the radical copolymerization of their mixtures, kinetic investigations of, 81
—, tetrahydrofuran, leading to block copolymer formation and transformation of anionic ends of living polystyrene to cationic ones, 207
—, metathesis, of cyclopentene initiated by $WCl_6/AliBu_3$, non-equilibrium molecular weight studies on the: Effect of catalyst ageing time, 211
— of acetylene, new catalyst systems for the, 243
— of acetylene by soluble Ziegler–Natta catalyst. Kinetic studies, 246
—, 'living' coordination, of propene with the soluble $V(acac)_3$–$Al(i\text{-}C_4H_9)_2Cl$ system, a kinetic study of, 258
—, anionic, of vinyl monomers, salt complex bases as new initiators in, 283
—, activated ionic, of ε-caprolactam, exothermal effects of superimposed processes of, and crystallization of the polymer formed, 385
—, radiation-induced cationic, of ethyl vinyl ether in ether solvent, influence of monomer and solvent concentrations on the rate of, 427
— of hexachlorocyclotriphosphazene by sulphur and selenium, 495
—, radical, some unsymmetrical azo compounds as initiators in, 629
— of propiolic acid and its derivatives catalysed by $MoCl_5$, 744
— of styrene using $CuCl_2 + AlEt_2Cl$ catalyst, effect of additives and solvents on, 783
— of acetylene in polyethylene, electrically conductive polymer composites, 795
— of vinyl chloroformate, vinyl carbamates and vinyl carbonates, 849
— of propylene with $MgCl_2/TiCl_4/AlEt_3$ or $MgCl_2/PhCOOC_2H_5/TiCl_4/AlEt_3$ catalyst systems, 916
— of a series of segmented polyurethanes, morphological study of the structure developed during the, 1060
— of styrene by polyTHF possessing terminal secondary nitranions, a block copolymerization by a cation to anion transformation process, 1105
—, emulsion, of styrene, the effects of electrolyte concentration in the, 1172
—, radiation-induced solid state, Monte Carlo simulation of, 1226
—, free radical, methylene blue as a retarder of, in the polymerization of acrylonitrile, methylmethacrylate and styrene, 1653
— of phenylacetylene induced by u.v. irradiation of group 6 transition metal carbonyls, 1663
—, anionic, of lactams, kinetics of, (solution of non-isothermal kinetic problems by the inverse method), 1791
—, polymer-supported, a general technique for the preparation of novel beaded polymer supports, 1870
—, reversible novolac type phenol–formaldehyde, modelling of, 1929
—, *in situ*, of vinyl chloride in poly(butyl acrylate), 1965
—, ethylene, with high activity catalysts prepared from titanium tetrachloride and magnesium diene adducts, 1971
—, vinyl, peroxo salts as initiators of: Polymerization of acrolein initiated by potassium peroxodiphosphate, 1999
Polymerizations, novolac type phenol–formaldehyde, molecular weight distributions in, 215
—, AA B′B″ type reversible, with mass transfer of condensation product, simulation of, 1367
Polymers, transition of, from the fluid to the forced high-elastic and leathery states at temperatures above the glass transition temperature, 91
—, viscofluid, effect of liquid media on the ultimate strength characteristics of, in uniaxial extension, 100
—, liquid crystal, solidified, rigid chain, the nature of crystallites in, 359
—, nonionic and cationic, study on adsorption of, on silica gel using total organic carbon analysis, 452
—, amorphous, the structure of, 543
—, brittle, tensile strength elevation of, by entanglements, 626
— containing 6′-nitro-1,3,3-trimethyl-spiro-(2′H-1′-benzopyran-2,2′-indoline), photomechanical effects in, 779
—, preferential adsorption coefficient of, 1005
—, equilibrium size distribution of micro-paracrystals in, 1101
—, biaxially oriented, orientation distribution functions for, 1251
—, optically active, containing side-chain *trans*-stilbene chromophores, 1355
—, cooperative and self-diffusion of, in semi dilute solutions by dynamic light scattering, 1403
—, carbazole based, recent progress in, 1713
—, head-to-head: 19. Chlorination of *cis*-1,4-polybutadiene, 1805
—, glassy, oriented by cold-rolling, carck growth under static and fatigue loading in, 1830
Polymer blends, semi crystalline, structural characterization of, by SANS, 957
Polymer composites, electrically conductive, polymerization of acetylene in polyethylene, 795
Polymer films, spin-coated dye-in-, spectroscopic studies of, on the relationship between compatibility and aggregation of small molecules in polymer matrices, 1627

Polymer matrices, a spectroscopic study of the relationship between compatibility and aggregation of small molecules in, 1627
Polymer solutions, local viscosity in, investigation by means of electrolytic conductivity, 6
—, demixed, interfacial tension of, over a wide range of reduced temperatures, 722
— near the critical temperature, interfacial tension of: polystyrene plus methylcyclohexane, 728
—, demixed symmetrical, interfacial tension between: Polystyrene–poly(dimethylsiloxane)–propylbenzene system, 1937
Polymer supports based on dimethylacrylamide and 3-formamidopropyl acrylate, synthesis of, 1099
—, novel beaded, a general technique for the preparation of, for polymer-supported polymerization, 1870
Polymethacrylates, substituted, dilute solution properties of, 1493
— and polyacrylates, miscibility of, SAN copolymers with, 1543
Polymethylene systems, crystalline, transport of matter upon annealing in, a calorimetric and spectroscopic study, 1921
Poly(methylene esters), the preparation of, 1555
Poly(γ-methyl L-glutamate) membranes, permeabilities of, 617
Poly(γ-methyl-D-glutamate), molecular motion in a β-form crystal of, 1894
Poly(methylmethacrylate), oriented, Brillouin, spectroscopy of, 3
—, stereoregular, measurement of the unperturbed dimensions of, 105
— plus water: sorption kinetics and volumetric changes, 197
—/poly(ethylene oxide) binary blends, first results of small- and wide-angle X-ray scattering of, 331
— and chlorinated polyethylene, compatibility of, 336
—/poly(vinyl chloride) blends, effect of tacticity on the transition behaviour of, thermally stimulated depolarization study, 395
— –polystyrene block copolymers, formation of, by anion free radical transformation, 643
—, the measurement of the thermal conductivity of, by Forbes' method, using infra-red temperature measurement, 1108
—, st-, structural change of, on drawing, absorption and desorption of solvents, 1256
— and poly(ethylene oxide), spherulitic crystallization in blends of, 1322
—, nucleophillic substitution onto, dilute solution properties of substituted polymethacrylates, 1493
—: influence of tacticity on its use as an electron resist, 1732
Poly(α-methylstyrene), syndiotactic, in solution, molecular motion of, studied by ^{13}C n.m.r. relaxation measurements, 817
—, configuration dependence of ^{13}C spin-lattice relaxation times of, 1997
Poly(octadecylethylene), samples of, with different history, a d.s.c. investigation of, 277
Polyolefins, an improved permanganic etchant for, 1707
—, a collection of kinetic data for the diffusion of organic compounds in, 1325
Polyoxymethylene crystals, needle-like and other, infra-red study on the conformational regularity in, 509
— single crystals, phonon dispersion curves and elastic properties of, 569
—, hexagonal, a model for structural inhomogeneities in, 1865
Poly(paraphenylene)s synthesized by two different routes, e.p.r. studies on, 1103
Polypeptide chains, factors governing the folding of, in block copolymers with a polyvinyl and a polypeptide block, 1039
Polyphenylene oxide–polystyrene blends, photo-energy transfer in, 924
Poly(*p*-phenylene sulphide), mass spectral analysis of, 310
Poly(phenyl vinyl ketone), triplet lifetime of, a laser flash photolysis study, 913
Polyprenols, structural characterization of, by ^{13}C n.m.r. spectroscopy: Signal assignments of polyprenol homologues, 1087
Polypropylene film, isotactic, thermo-oxidative degradation of, structural changes and its correlation with properties, 54
—, isotactic, blended with ethylene–propylene copolymers and polyisobutylene, morphology, crystallization and melting behaviour of films of, 229
—, isotactic, investigation of the methyl torsion in, comparison between neutron inelastic scattering spectra and normal coordinate calculations, 499
—, determination of activation enthalpy ΔH_v for volume relaxation in, during thermal stimulation, 589
—, solid isotactic, high resolution ^{13}C n.m.r. spectra of, 695
—, polymerization of, with $MgCl_2/TiCl_4/AlEt_3$ or $MgCl_2/PhCOOC_2H_5/TiCl_4/AlEt_3$ catalyst systems, 916
—/EPDM blends, dynamic mechanical and impact properties of, 699
—, nascent isotactic, globules of micropara-crystals in, 979
— and polyethylene dry gel films, orientation process in the drawing of, 1123
—, orientation measurements during drawing of, by fluorescence polarization microscopy, 1575
— surface, melting and annealing effects on molecular motion of spin-labelled molecules at the polymer chain-end located on the, 1594
—, drawn, conformation of the molecules in, revealed by neutron scattering studies, 1875
—/thermoplastic rubber blends, multiple crystallization behaviour of, and its use in assessing blend morphology, 1913
Polypropylene glycols, activated derivatives of succinic and glutaric half-esters of, and their exchange half-esters of, and their exchange reactions with hydroxy- and amino- compounds, 1689
Poly(propylene oxide), oligomeric, dielectric loss of an, in the liquid region above T_g, 314
Polysaccharides, graft copolymers of: 1. Alginic acid, 1838
Polystyrene, living, transformation of anionic ends of, to cationic, and tetrahydrofuran polymerization leading to block copolymer formation, 207
—, head-to-head, blends of, with poly(2,6-dimethyl-1,4-phenylene oxide), 271
—, photo-oxidation of, in dichloromethane solutions, 281
— –poly(phenylene oxide) blends, craze microstructure and molecular entanglements in, 461
— –poly(methylmethacrylate) block copolymers by anion free radical transformation, 643
—, atactic, –poly(2,6-dimethyl 1,4-phenylene oxide) blends, uniaxially oriented, evaluation of the birefringence of, 706
— plus methylcyclohexane, a demixed polymer solution near the critical temperature, interfacial tension of, 728
— –polyphenylene oxide blends, photo-energy transfer in, 924
—, study of rotational mobility of a polar molecule in, by the thermally stimulated depolarization method, 974
—, kinetic study of the first stage during thermal degradation of, 1091
— networks, specific volume of, 1317
— solutions, photon-correlation velocimetry of, in extensional flow fields, 1435
—, the effect of water on the tensile yield of, 1540
—, the micromechanics and microstructure of CO_2 crazes in, 1667
—, high molecular weight, in moderately concentrated solution, solvent dependence of the viscous and viscoelastic properties of a, 1765
— solutions, lattice coordination number in, 1859
— –poly(dimethylsiloxane)–propylbenzene demixed symmetrical polymer solutions, interfacial tension between, 1937
—, high impact, /poly(xylenol ether) polyblend, fracture behaviour of a, 1977
Polystyrenes and amorphous lignins, temperature dependence of X-ray diffractograms of, 475
—, model comb-branched, assessment of branching in from SAXS, 514
Poly(styrene-*b*-butadiene), ABA, copolymer in various solvents, concentrated solution rheology of an, 1994
Poly(styrene-co-methylmethacrylate), radiation degradation of: 2. Protective effects of styrene on volatile products, chain scission and flexural strength, 431
Polystyrene sulphonate, magnetic birefringence of: Molecular weight and concentration dependence, 1990
Poly(styrylaluminium) derivatives, synthesis and characteristics of, and their reaction with benzoyl peroxide, 891
Poly(styrylaluminium-peroxide), synthesis of block copolymers by a low-temperature free radical mechanism using systems of the type, 884
Polytetrahydrofuran possessing terminal styryl groups, reaction of butyl lithium with, by a cation to anion transformation process, 445
—, living, reaction of, with amines: 4. Primary amines, 1350
Poly(tetrafluoroethylene), deformed, solid state ^{19}F n.m.r. of, 39
—, X-ray diffraction study of crystal transformation and molecular disorder in, 521
Poly(tetramethylene terephthalate), an infra-red study of model compounds of, 1759
Polyurethane elastomers, structure of, effect of chain extender length on the structure of MDI/diol hard segments, 950
— ionomers, synthesis and characterization of some, 1167
— foam formulation, rigid, curing kinetics of a, 1489
— gels, Brillouin scattering from, 1884

Polyurethanes, segmented, morphological study of the structure developed during the polymerization of a series of, 1060
—, linear crystallizable, inversion of infra-red dichroism in, 1917
Poly(vinyl alcohol), stability of the crystal structures of, by CNDO/2 calculations, 776
—, ultrasonic studies of aqueous solutions of, 1446
—, effect of crosslinking on the charge storage characteristics of, 1697
Poly(vinyl chloride)/poly(methylmethacrylate) blends, effect of tacticity on the transition behaviour of, thermally stimulated depolarization study, 395
—, chlorinated/polyester blends, studies of, 1051
—, a review of the migration of food-contact organotin stabilizers from, 1385
—, effect of plasticizer concentration and annealing on the structure of, 1508
—, reduction of, with tri-n-butyltin hydride, 1641
Poly(vinyl chloroformate) and derivatives: 1. Polymerization of vinyl chloroformate, vinyl carbamates and vinyl carbonates, 849
— and derivatives: 2. Copolymerization of vinyl chloroformate and phenyl vinyl carbonate with vinyl monomers, 855
— and derivatives: 3. Chemical modification of poly(vinyl chloroformate), 861
Poly(*N*-vinyl pyrrolidone), conformational characteristics of, 676
Poly(*N*-vinylcarbazole), SALS studies of, 1842
Poly(*N*-vinylene carbazole), study of the radical products of mechanically destructed, 1443
Poly(vinylidene fluoride)–isotactic poly(ethylmethacrylate) blends, multiple melting in, 735
Poly(*p*-xylene) single crystal, direct imaging of molecular chains in a, 1568
Poly(xylenol ether)/high impact polystyrene polyblend, fracture behaviour of a, 1977
Preferential absorption coefficient of polymers, 1005
Preparation of high modulus nylon-6 fibre by an improved zone-annealing method, 176
— polymeric hydrogel, purity of crosslinkers for, 340
— and thermal crosslinking of *N*-propargyl substituted aromatic polyamides, 621
—, morphology and unit cells of three poly(hexamethylene terephthalate) allomorphs, 805
— of high-modulus and high-strength nylon-6 fibre by the zone-annealing method, 1193
— and characterization of poly(ethylene/tetramethylene terephthalate) copolyesters, 1391
— of poly(methylene esters), 1555
— of novel beaded polymer supports, a general technique for the, for polymer-supported polymerization, 1870
— of ultra-high-strength nylon-6 fibre by a multi-step zone-annealing method, 1983
— of block copolymers with low polydispersity ratios, a simplified apparatus for the, 1988
Pressure and density variations in polymeric powders, effects of solid phase compaction on, 123
— sensitive adhesives of acrylic polymers containing functional monomers, 937
— dependence of transitions, 1835
Production of novolacs, statistical aspects for the, 263
— of novolacs, batch and continuous reactors for the, 267
— and gelation of stiff polyethylene fibres, 1112
Propene, a kinetic study of 'living' coordination polymerization of, with the soluble $V(acac)_3$–$Al(i\text{-}C_4H_9)_2Cl$ system, 258
Properties and synthesis of some polyesters with mesogenic groups and flexible spacers in the main chain, 47
— and synthesis of some poly(bisphenol A iso/terephthalate) copolycarbonates, 609
— and synthesis of 1,5- and 1,8- dichloro-substituted poly(9,10-dihydroanthracene-9,10-diylidene)s, 613
— and syntheses of tetramethyl-*p*-silphenylenesiloxane/alkenylmethylsiloxane copolymers and their derivatives, 1646
— and synthesis of 2,4-diallyloxy-6-phenoxy-1,3,5-triazine, 1688
Propiolic acid and its derivatives, polymerization of, catalysed by $MoCl_5$, 744
Propylbenzene–poly(dimethylsiloxane)–polystyrene demixed symmetrical polymer solutions, interfacial tension between, 1937
Propylene–ethylene copolymers, morphology of, 1189
Protective effects of styrene on volatile products, chain scission and flexural strength in the radiation degradation of poly(styrene-co-methylmethacrylate), 431
Pyroelectricity and charge transport in a copolymer of vinylidine fluoride and tetrafluoroethylene, 22

Quencher, free radical, effect of a, on the conductivity, oxidative stability and free radical population of poly(1,6-heptadiyne), 435

Radiation-induced cationic polymerization of vinyl ethers in solution: 2. Polymerization of ethyl vinyl ether in methylene dichloride solution, 65
— -induced solid state polymerization, Monte Carlo simulation of, 1226
Radical products of mechanically destructed poly(*N*-vinylene carbazole), study of, 1443
Raman, i.r. and n.m.r. spectra of conformational structure of poly(ethylene terephthalate), 714
Raman spectroscopy of flowing PET melts, 9
—, quantitative characterization of orientation in PET fibres by, 645
—, distribution of straight-chain lengths in unannealed and annealed solution-crystallized polyethylene by, 1286
Reaction of living polyTHF with amines: 4. Primary amines, 1350
Reactivities, unequal, of functional groups, reversible polycondensation characterized by, 222
Reactivity ratios of styrene-*N*-iso-butylmaleimide and methylmethacrylate-*N*-iso-butylmaleimide, 146
Reactors, batch and continuous, for the production of novolacs, 267
Reduction of PVC with tri-n-butyltin hydride, 1641
— of poly(β-aminoketone)s to poly(γ-aminoalcohols)s and their *N*-alkylation fo poly(γ-hydroxy quaternary ammonium salt)s, with Mannich bases, 1693
Refractometry of cellulose triacetate solutions, 483
Regularity and stereoregularity of poly-*p*-isopropyl-γ-methylstyrene, 1501
Relaxation effects in crystalline polyethylene, stochastic defect diffusion model for, 401
— of stresses in crazes at crack tips and rate of craze extension, 754
— times, Bucci, obtained from thermal sampling, on the physical significance of, 1261
—, anomalous dielectric, in poly(dimethylsiloxane) polymers, 1394
—, stress, on the separation cf physical and chemical component of, 1515
— behaviour, effects of pressure and temperature on, in the dielectric studies of cellulose and its derivatives, 1609
— properties, dielectric, influence of filler on the, in rubber-modified epoxy resins, 1619
— times, ^{13}C spin-lattice, of poly(α-methylstyrene), configuration dependence of, 1997
— time, spin–spin, behaviour of the, for natural rubber vulcanizates under large deformation, 1737
Reptation, role of, in the rate of crystallization of polyethylene fractions from the melt, 656
Resins, phosphorylated, of polyethylene, thermal degradation of a series of, 154
—, crystallizable cresolic, by homosaligenin polycondensation, 928
—, polyphosphorylated polyethylene, *SEM* study of, 931
—, crosslinked, in water and electrolyte solutions, degradation of, 1785
—, branched epoxide, SANS from, 1889
Retarder, methylene blue as a, of free radical polymerization: 1. Polymerization of acrylonitrile, methylmethacrylate and styrene, 1653
Rheology, concentrated solution, of an ABA poly(styrene-*b*-buradiene) copolymer in various solvents, 1994
Rotational mobility of a polar molecule in polystyrene by the thermally stimulated depolarization method, study of, 974
Rubber, natural, SEM studies on tear fracture of, 632
— vulcanizates, natural, under large deformation, behaviour of the spin–spin relaxation time for, 1737
— blends, thermoplastic, /polypropylene, multiple crystallization behaviour of, and its use in assessing blend morphology, 1913
Rubbers, amine and carboxyl terminated, epoxy resins modified with, morphology and toughness characterization of, 1897

Salt effect on the conformation of an alternating copolymer of L-leucine and L-lycine, 1154
Salt effects on the conformation of a statistical copolymer of L-leucine and L-lycine, 1147
Scanning electron microscope study of polyphosphorylated polyethylene resins, 931

Scanning electron microscopy studies on tear fracture of natural rubber, 632
— of nuclear pore filters in poly(ethylene terephthalate) and ethylene–tetrafluoroethylene copolymer, 1143
Screening concepts in polymer solution dynamics, 345
Segment size in synthetic polymers by the spin-probe method, 1536
Separation of physical and chemical component of stress relaxation, 1515
Sequence distribution of 1,2-unit in hydrogenated polybutadienes by ^{13}C-n.m.r. spectroscopy, 413
Shear and tensile relaxation behaviour in oriented linear polyethylene, 349
Shellac, cohesive-energy density of, 417
— –solvent interaction parameter, 1244
Silica gel, study on adsorption of nonionic and cationic polymers on, using total organic carbon analysis, 452
Simulation of AA + B′B″ type reversible polymerizations with mass transfer of condensation product, 1367
Small-angle scattering and electron microscopy results, discrepancy between, for sphere in diblock copolymers, 1222
Small-angle X-ray scattering, assessment of branching in polymers from, SAXS from model comb-branched polystyrenes, 514
Solidification, eutectic, and oriented growth in mixtures of polyethylene and 1,3,5-tribromobenzene, 985
Solid state ^{19}F n.m.r. of deformed PTFE, 39
Solubility parameter of poly(ethylene oxide) at 25°C, determination of, by g.l.c., 1361
Solution conformation of poly(ethylene oxide), an *FT*-pulsed field gradient n.m.r. self-diffusion study, 1780
Solutions of cyclohexane, hexane and ethylbenzene, ultrasonic investigations of linear and star shaped polybutadiene polymers in, 369
—, cellulose triacetate, the cholesteric nature of, 1727
Solvent–shellac interaction parameter, 1244
— dependence of the viscous and viscoelastic properties of a high molecular weight polystyrene in moderately concentrated solution, 1765
—, a new, for cellulose, 1867
Solvents and additives, effect of, on polymerization of styrene using $CuCl_2 + AlEt_2Cl$ catalyst, 783
Sorption and diffusion of solvents in highly oriented polyethylene, 142
— of iso-propyl nitrate and acetone into nitrocellulose/nitroglycerine films, 144
— kinetics and volumetric changes: poly(methylmethacrylate) plus water, 197
Specific volume of polystyrene networks, 1317
Spectroscopic studies of spin-coated dye-in-polymer films, on the relationship between compatibility and aggregation of small molecules in polymer matrices, 1627
— and calorimetric study of the transport of matter upon annealing in crystalline polymethylene systems, 1921
Spectroscopy, Brillouin, of oriented PMMA, 3
—, Raman, of flowing PET melts, 9
—, derivative, studies on conformational transition of the maleic acid copolymer with styrene in aqueous salt solution, 238
— studies, photon correlation, of dilute polymer solutions, data fitting in, 492
—, photon correlation, the histogram method in, applied in dilute polymer solutions, a second comment on, 649
—, time resolved *FT*i.r., deformation studies of polymers by: 1. Development of the technique, 965
—, ^{13}C n.m.r., structural characterization of polyprenols by, signal assignments of polyprenol homologues, 1087
Spin-probe method, segment size in synthetic polymers by the, 1536
Stabilizers, food-contact organotin, a review of the migration of, from PVC, 1385
Statistical mechanical theories of the glass transition, a new perspective, 36
— aspects for the production of novolacs, 263
Stereoregularity and regularity of poly-*p*-isopropyl-γ-methylstyrene, 1501
Steric environment, effect of, in the reaction of 2,4-dinitrophenylhydrazine with methylvinylketone copolymers, 1259
Stochastic defect diffusion model for relaxation effects in crystalline polyethylene, 401
Strain history, effect of, on craze microstructure, 457
Stress, acoustic emission and e.s.r. studies of polymers under, 178
Stress relaxation, on the separation of physical and chemical component of, 1515
— and recovery, time-dependent birefringence in glass polymers during, 129
Structural changes in the thermo-oxidative degradation of isotactic polypropylene film and its correlation with properties, 54
— study of cellophane, 823
— characterization of semi crystalline polymer blends by SANS, 957
— characterization of polyprenols by ^{13}C n.m.r. spectroscopy: Signal assignments of polyprenol homologues, 1087
— analysis of an oriented liquid crystalline copolyester, 1269
— inhomogeneities, a model for, in hexagonal polyoxymethylene, 1865
Structure of aminofunctional silane coupling agents: 1. γ-Aminopropyltriethoxysilane and its analogues, 251
—, microheterogeneous, of liquid crystalline polymers, 484
— of amorphous polymers, 543
— of liquid crystalline copolyester fibres prepared from *p*-hydroxybenzoic acid, 2,6-dihydroxynaphthalene and terphthalic acid, 671
— of polyurethane elastomers: effect of chain extender length on the structure of MDI/diol hard segments, 950
—, morphological study of the, developed during the polymerization of a series of segmented polyurethanes, 1060
— –property behaviour of segmented polyether–MDI–butanediol based urethanes: effect of composition ratio, 1077
— of poly(aspartic acid), ^{13}C n.m.r. study of the, 1237
—, local, of molten polyethylene, 1273
— of PVC, effect of plasticizer concentration and annealing on the, 1508
—, crystal, of poly(1,4-*trans*-cyclohexanediyldimethylene terephthalate), 1960
Styrene–methylmethacrylate copolymer, prepared in presence of zinc chloride, n.m.r. study of, 20
— -*N*-iso-butylmaleimide and methylmethacrylate-*N*-iso-butylmaleimide, reactivity ratios of, 146
—, polymerization of, using $CuCl_2 + AlEt_2Cl$ catalyst, effect of additives and solvents on, 783
—, grafting of, onto poly(butyl acrylate) in emulsion, 839
—, emulsion polymerization of, the effects of electrolyte concentration in the, 1172
— products and *p*-benzoquinone copolymerized in the presence of BF_3OEt_2, gel chromatographic investigation of, 1388
— –butadiene–styrene triblock copolymers, ultrasonic studies of, 1451
— –acrylonitrile copolymers, miscibility of, with polyacrylates and polymethacrylates, 1543
Styrene-co-acrylonitrile, crosslinked, crack-healing in, 1305
Sub-glass transition events in amorphous polymers, detection of, using d.s.c., 605
Sulphur acids, intermediates involved in the formation of, from nickel dialkyl dithiophosphates, a mechanism of antioxidant action, 1711
Superheating effects on the melting of ultra-high modulus linear polyethylene, 935
Superstructure and mechanical properties of high-modulus and high-strength nylon-6 fibre prepared by the zone-annealing method, 1199
Surface fluorination, polymer, kinetics of, elemental and plasma-enhanced reactions, 1546
Syntheses and properties of tetramethyl-*p*-silphenylenesiloxane/alkenylmethylsiloxane copolymers and their derivatives, 1646
Synthesis and properties of some polyesters with mesogenic groups and flexible spacers in the main chain, 47
—, anionic, of poly(epichlorohydrin-*g*-styrene) and chemical modification of polyepichlorohydrin, 57
—, block copolymer, new perfectly difunctional organolithium initiators for: 2. Difunctional polymers of dienes and of their triblock copolymers with styrene, 73
— and photodegradation of copolyamides containing α-diketone linkage in the main chain, 342
— of some organic poly(aminium phosphate)s: 4., 422
— and permeability of polymer membranes: 41. Finger-like cavities in cellulose nitrate membranes from binary organic solvents, 488
— and properties of some poly(bisphenol A iso/terphthalate) copolycarbonates, 609
— and properties of 1,5- and 1,8-dichloro-substitutes poly(9,10-dihydroanthracene-9,10-diylidene)s, 613
— of block copolymers by a low-temperature free radical mechanism using systems of the poly(tryrylaluminium-peroxide) type, 884
— and characteristics of poly(styryl-aluminium) derivatives and their reaction with benzoyl peroxide, 891
— and characterization of poly(amide–imides) from 3,4-dicarboxy-4′-chloroformylbiphenyl anhydride, 1057
— of polymer supports based on dimethylacrylamide and 3-formamido-propyl acrylate, 1099
— of poly(paraphenylene)s by two different routes, e.p.r. studies on, 1103

— and characterization of some polyurethane ionomers, 1167
— of tertiary 0oly(amido–amine)s with amido-mand amino-groups randomly arranged along the macromolecular chain, 1233
—, characterization and kinetics in the alternating copolymerization of 2-methyl-2-oxazoline with α-chloro- and α-bromoacrylic acids, 1372
— and properties of 2,4-diallyloxy-6-phenoxy-1,3,5-triazine, 1688
—, new polymer: Linear and branched poly(3-hydroxy-benzoates), 1821
—, electrochemical, of polyacetylene tetrachloroferrate and tetrachloroaluminate, 1872
Synthetic polymers, segment size in, by the spin-probe method, 1536

Tacticity, influence of, on the use of PMMA as an electron resist, 1732
Tear fracture of natural rubber, SEM studies on, 632
Temperature dependence of X-ray diffractograms of amorphous lignins and polystyrenes, 475
Tensile deformation and failure processes of amine-cured epoxies, 295
— and shear relaxation behaviour in oriented linear polyethylene, 349
— strength elevation of brittle polymers by entanglements, 626
— drawing behaviour of poly(ethylene terephthalate), influence of molecular weight and pre-orientation, 766
— yield of polystyrene, the effect of water on the, 1540
Test frequency and water content, effect of, on localized crack-tip heating in nylon-6,6, 1675
Tetrahydrofuran polymerization leading to block copolymer formation and transformation of anionic ends of living polystyrene to cationic ones, 207
Tetramer formation from methacrylic acid metal salts in solid state, 152
***N,N,N′,N′*-Tetramethylethylenediamine**, ^{1}H n.m.r. spectroscopy of the complexation of polybutadienyllithium by, 1636
Theory, a, of Case II diffusion, 529
— of adsorption of macromolecules in cylindrical pores and at surfaces of cylindrical shape, 1133
— of weakly charged polyelectrolytes, 1742
Thermal degradation of a series of phosphorylated resins of polyethylene, 154
— stimulation: 1. Determination of activation enthalpy ΔH_v for volume relaxation in polypropylene, 589
— crosslinking and preparation of *N*-propargyl-substituted aromatic polyamides, 621
— degradation of polystyrene, kinetic study of the first stage during, 1091
— conductivity of poly(methylmethacrylate), measurement of the, by Forbes' method, using infra-red temperature measurement, 1108
— sampling, on the physical significance of Bucci relaxation times obtained from, 1261
Thermally stimulated depolarization, study of rotational mobility of a polar molecule in polystyrene by the, 974
Thermodynamic analysis of the phase transition of polyethylene under high pressure, 391
Thermodynamics, irreversible, environmental stress cracking and crazing in polymers in terms of, 1204
Thermoluminescence, u.v. induced, in polyethylene, electron trapping model of, 1461
Thermomechanical analysis of binary polymer blends, 466
— properties of nylon-6,6 annealed in glycerol, 1377
Theta temperature, evaluation of the, and intrinsic viscosity measurements, the unperturbed molecular dimensions of poly(ethylene oxide) in aqueous solutions from, 1775
Transformation process, cation to anion, block copolymerization by a: 1. Reaction of butyl lithium with polyTHF possessing terminal styryl groups, 445
—, anion free radical, formation of polystyrene–poly(methylmethacrylate) block copolymers by, 643
— process, cation to anion, block copolymerization by a, polymerization of styrene by polyTHF possessing terminal secondary nitranions, 1105
Transition of polymers from the fluid to the forced high elastic and leathery states at temperatures above the glass transition temperature, 91
— behaviour of poly(methylmethacrylate)/poly(vinyl chloride) blends, effect of tacticity on the, thermally stimulated depolarization study, 395
Transitions, pressure dependence of, 1835
Transport numbers, hydrogen-ion, in cation exchange membrane determined by e.m.f. method, 203
— of matter upon annealing in crystalline polymethylene systems: a calorimetric and spectroscopic study, 1921
1,3,5-Tribromobenzene and polyethylene, mixtures of, eutectic solidification and oriented growth in, 985
Tri-n-butyltin hydride, reduction of PVC with, 1641
Triplet lifetime of poly(phenyl vinyl ketone), a laser flash photolysis study, 913
Twist moment, dimensional and volumetric changes in cylindrical rods of polymers subjected to a, 1407

Ultrasonic investigations of linear and star shaped polybutadiene polymers in solutions of cyclohexane, hexane and ethylbenzene, 369
— studies of aqueous solutions of poly(vinyl alcohol), 1446
— studies of styrene–butadiene–styrene triblock copolymers, 1451
Ultra violet induced thermoluminescence in polyethylene, electron trapping model of, 1461
— irradiation of group 6 transition metal carbonyls, polymerization of phenylacetylene induced by, 1663
—, far-, radiation (185nm), action of, on poly(ethylene terephthalate) films: a method for controlled dry-etching, 1863
Uniaxial extension, effect of liquid media on the ultimate strength characteristics of viscofluid polymers in, 100
Urethanes, segmented polyether–MDI–butanediol based, structure–property behaviour of, effect of composition ratio, 1077

Velocimetry, photon-correlation, of polystyrene solutions in extensional flow fields, 1435
Vibrational spectroscopic characterization of rigid rod polymers: 3. Microstructural changes in stressed polymers, 969
Vinyl monomers, anionic polymerization of, salt complex bases as new initiators in, 283
Vinyl acetate, seeded emulsion polymerization of: order of reaction with respect to initiator, 77
Vinyl carbamates, vinyl carbonates and vinyl chloroformate, polymerization of, 849
Vinylcarbazole, *N*-, photopolymerization of, in dichloromethane in the presence and absence of free radical photoinitiators, 1045
Vinyl carbonates, vinyl carbamates and vinyl chloroformate, polymerization of, 849
Vinyl chloride, the *in situ* polymerization of, in poly(butyl acrylate), 1965
Vinyl chloroformate, vinyl carbamates and vinyl carbonates, polymerization of, 849
— and phenyl vinyl carbonate, copolymerization of, with vinyl monomers, 855
Vinyl ethers in solution, radiation-induced cationic polymerization of: 2. Polymerization of ethyl vinyl ether in methylene dichloride solution, 65
Viscoelastic and viscous properties of a high molecular weight polystyrene in moderately concentrated solution, solvent dependence of the, 1765
Viscofluid polymers, effect of liquid media on the ultimate strength characteristics of, in uniaxial extension, 100
Viscosity, local, in polymer solutions, investigation by means of electrolytic conductivity, 6
—, intrinsic, of cellulose derivatives and the persistent cylinder model of Yamakawa, 800
— measurements, intrinsic, and the evaluation of the theta temperature, the unperturbed molecular dimensions of poly(ethylene oxide) in aqueous solutions from, 1775
Viscous and viscoelastic properties of a high molecular weight polystyrene in moderately concentrated solution, solvent dependence of the, 1765
Volume relaxation in polypropylene, determination of activation enthalpy ΔH_v for, during thermal stimulation, 589
—, specific, of polystyrene networks, 1317
Volumetric and dimensional changes in cylindrical rods of polymers subjected to a twist moment, 1407

Water content and test frequency, effect of, on localized crack-tip heating in nylon-6,6, 1675

X-ray scattering, small- and wide-angle, first results of, of poly(ethylene oxide)/poly(methylmethacrylate) binary blends, 331
— diffractograms of amorphous lignins and polystyrenes, temperature dependence of, 475
— diffraction study of crystal transformation and molecular disorder in poly(tetrafluoroethylene), 521
— photoelectron spectroscopy studies of the nitration and denitration of cellulosic materials, 1034
— and ^{13}C n.m.r. study of the relationship between the distribution of nitrate ester groups and interchain *d*(110) spacings in a series of cellulose nitrates, 1295
— study, small-angle, of particulate reinforced composites, 1907

Yamakawa persistent cylinder model and the intrinsic viscosity of cellulose derivatives, 800
Yield stress and differential scanning calorimetry measurements, quantitative interpretation of the effect of, on the annealing of polycarbonate below the glass transition, 1599

Ziegler–Natta catalyst, soluble, polymerization of acetylene by. Kinetic studies, 246
Zone-annealing method, improved, preparation of high-modulus nylon-6 fibre by an, 176
— method, preparation of high-modulus and high-strength nylon-6 fibre by the, 1193
— method, mechanical properties and superstructure of high-modulus and high-strength of nylon-6 fibre prepared by the, 1199

International Journal of **Biological Macromolecules**

Structure, function and interactions

INTERNATIONAL JOURNAL OF BIOLOGICAL MACROMOLECULES helps to focus the different approaches to the study of biological macromolecules at the molecular level.

Topics covered emanate from the following disciplines:

- Biophysics
- Biochemistry
- Physical Chemistry
- Bio-organic chemistry
- Molecular biology
- Biomedical science



The journal publishes studies on all biological macromolecules, e.g. proteins, nucleic acids, polysaccharides and their synthetic analogues. It covers studies on the association of biological macromolecules e.g. viruses, nucleosomes, membranes and glycoproteins. Studies on biomaterials, that is, natural materials comprising biological macromolecules, e.g. chromatin, muscle, skin and tendon, are also covered.

For further information and a sample copy please write to:-

Mrs Jenny Earwaker Butterworth Scientific Limited — Journals Division
PO Box 63 Westbury House Bury Street Guildford Surrey GU2 5BH UK